

ARDROX INC -- TRACER TECH P-135D -- 6850-01-263-8432

=====  
Product Identification  
=====

Product ID:TRACER TECH P-135D

MSDS Date:05/01/1990

FSC:6850

NIIN:01-263-8432

MSDS Number: BJDQT

=== Responsible Party ===

Company Name:ARDROX INC

Address:16961 KNOTT AVE

City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Info Phone Num:714-739-2821

Emergency Phone Num:714-739-2821

CAGE:23373

=== Contractor Ident

ification ===

Company Name:BRENT AMERICA, INC.

Address:16961 KNOTT AVE.

Box:City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Phone:714-739-2821

CAGE:23373

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HYDROTREATED MIDDLE DISTILLATE

CAS:8042-47-5

RTECS #:PY8047000

Other REC Limits:NONE ESTABLISHED

Ingred Name:AROMATIC HYDROCARBON SOLVENT

CAS:64741-68-0

Other REC Limits:NONE ESTABLISHED

=====  
Hazards Identification  
=====

L

D50 LC50 Mixture:LD50 (ORAL RAT) IS N/K.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CHRONIC: INHALED: NOT LIKELY; ANIMALS HAS RESULTED IN NON-SPECIFIC SYMPTOMS RELATED TO THE NERVOUS SYSTEM, GASTROINTESTINAL TRACT, AND LUNGS. SKIN: PROLONGED CONTACT MAY RESULT IN CONTACT DERMATITIS, CHARACTERIZED BY DRYNESS, CHAPPING, & REDDENING. SKIN ABSORPTION MAY OCCUR.

Effects of Overexposure:l

INHALED: IRRITATION OF THE THROAT OR LUNGS;

SKIN: IRRITATION UPON DIRECT CONTACT; EYE: MAY BE SLIGHTLY IRRITATING TO THE EYES UPON DIRECT CONTACT; INGESTED: SMALL AMOUNTS USUALLY NONFATAL UNLESS ASPIRATION OCCURS. INTENSE BURNING OF THE THROAT, DROWSINESS, DULLNESS, NUMBNESS, HEADACHE, DIZZINESS, NAUSEA, ETC.

Medical Cond Aggravated by Exposure:ASPIRATION MAY LEAD TO CHEMICAL PNEUMONITIS WHICH IS CHARACTERIZED BY PULMONARY EDEMA AND HEMORRHAGE, AND MAY BE FATAL.

=====

===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING, GIVE MOUTH TO MOUTH RESUSCITATION; EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER; GET MEDICAL ADVICE; INGESTION:DO NOT INDUCE VOMITING. GIVE LOTS OF WATER. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION

===== Fire Fighting Measures =====

Flash Point:>200F/93C

Extinguishing Media:USE DRY CHEMICAL, FOAM, OR CARBON DIOXIDE.

Fire Fighting Procedures:WATER MAY BE INEFFECTIVE BUT CAN BE USED TO COOL CONTAINERS EXPOSED TO HEAT OR FLAME. WHEN USING WATER OR FOAM, FROTHING MAY OCCUR, ESPECIALLY INTO CONTAINER.

Unusual Fire/Explosion Hazard:NONE STATED.

===== Accidental Release Measures =====

Spill Release Procedures:MOP UP OR SOAK

UP WITH NON-COMBUSTIBLE

ABSORBENT INORGANIC MATERIAL. TRANSFER TO DOT-APPROVED CONTAINER.  
Neutralizing Agent:NOT APPLICABLE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS COOL, DRY, AND AWAY FROM SOURCES OF IGNITION. DO NOT STORE PRODUCT IN DIRECT SUNLIGHT, HIGH TEMPERATURE, OR BELOW FREEZING AREAS

Other Precautions:PERSONNEL SHOULD AVOID BREATHING VAPORS AND MISTS AND GETTING PRODUCT IN THE EYES OR ON THE SKIN. DO NOT CONSUME FOOD, DRINK, OR TOBACCO IN AREAS WHERE THEY MAY BECOME CONTAMINATED WITH THIS MATERIAL.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:US A NIOSH-APPROVED CANNISTER-TYPE RESPIRATOR IF TLV IS EXCEEDED, SUCH AS IN CONFINED OR POORLY VENTILATED AREAS OR FOR EMERGENCY AND OTHER CONDITIONS WHERE THE EXPOSURE GUIDELINES MAY BE GREATLY EXCEEDED.

Ventilation:GOOD GENERAL VENTILATION IS SUFFICIENT.

Protective Gloves:IM

PERMEABLE GLOVES ARE RECOMMENDED.

Eye Protection:SAFETY GLASSED, NO CONTACT LENS.

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health  
QPL APPLIES.

=====  
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>240F/11

6C

Spec Gravity:0.871

Evaporation Rate & Reference:< BUTYL ACETATE

Solubility in Water:MODERATE

Appearance and Odor:FLUORESCENT YELLOW GREEN MOBILE LIQUID.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE STATED.

Hazardous Decomposition Products:NONE STATED.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL SHOULD BE MA

DE IN ACCORDANCE WITH ALL

APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

a

ssume responsibility for the suitability of this information to their particular situation.