View NSN Online: https://aerobasegroup.com/nsn/8010-00-958-8151

Product ID:YELLOW, 38907 FLUORESCENT SPRAY PC-NAPCO MSDS Date:01/01/1987 FSC:8010 NIIN:00-958-8151 **MSDS Number: BJDTN** === Responsible Party === Company Name:NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC Address:2193 E. 14TH STREET **City:LOS ANGE** LES State:CA ZIP:90021 Country:US Info Phone Num:213-627-2668 Emergency Phone Num:213-627-2668 CAGE:59986 === Contractor Identification === Company Name: GROW GROUP INC DEVOE AND REYNOLDS CO DIV Address:4000 DUPONT CIRCLE Box:City:LOUISVILLE State:KY ZIP:40207-4802 Country:US Phone:502-361-2536 CAGE:97758 Company Name:NATIONAL AEROSOL PRODUCTS CO SUB OF GROW GROUP INC Address:2193 E 14TH STREET Box:City:LOS ANGELES State:CA ZIP:90021-2843 Country:US CAGE:59986

======= Composition/Informat

ion on Ingredients ==========

Ingred Name:ACRYLIC RESIN Fraction by Wt: 25.00%

Ingred Name:FLUORESCENT PIGMENT Fraction by Wt: 15.00% ACGIH TLV:5 MG/CU.M.

Ingred Name:PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA III) CAS:127-18-4 RTECS #:KX3850000 Fraction by Wt: 23.00% OSHA PEL:100 PPM ACGIH TLV:25PPM/100,A3 STEL;94 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:ALIPHATIC HYDROCARBONS Fraction by Wt: 12.00% ACGIH TLV:400 PPM

Ingred Name:ISOBUTANE-PROPANE Fraction by Wt: 25.00% A CGIH TLV:800 PPM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:UNKNOWN OSHA:YES
Health Hazards Acute and Chronic:CENTRAL NERVOUS SYSTEM DEPRESSION AND NARCOTIC EFFECTS.
Explanation of Carcinogenicity:PERCHLOROETHYLENE IS LISTED AS A POTENTIAL HUMAN CARCINOGEN.
Effects of Overexposure:INGESTION: NAUSEA. EYES: IRRITATION. INHALATION: DIZZINESS. AND SKIN: MINOR IRRITATION.

First Aid:INGESTION: GET MEDICAL HELP. EYES: FLUSH WITH WATER FOR MINIMUM OF 5 MINUTES. INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. GIVE MOUTH-TO-MOUTH RESUCITATION IF BREATHING STOPS. AND SKIN: WASH WIT H WATER.

Flash Point:NR Extinguishing Media:WATER FOG, STANDARD FOAM, CO2, DRY CHEMICAL. Fire Fighting Procedures:TEMPS >

120F MAY CAUSE BURST/VENTING. KEEP CONTAINERS COOL. USE EQUIP OR SHIELDING TO PROTECT PERSONNEL FROM BURST/VENTING CONTAINER. DO NOT PUNCTURE/INCINERATE Unusual Fire/Explosion Hazard:DO NOT USE NEAR OPEN FLAME, FIRE OR WHILE SMOKING.
======================================
Spill Release Procedures: MOP UP, SOAK UP OR WIPE UP IMMEDIATELY. PROVIDE VENTILATION.
======================================
Handling and Storage Pre cautions:DO NOT STORE WHERE TEMPERATURES COULD EXCEED 120 F. Other Precautions:USE AND FOLLOW LABEL DIRECTIONS.
======================================
Ventilation:RECOMMENDED. LOCAL EXHAUST IS ADEQUATE. Supplemental Safety and Health
======================================
HCC:V3 Vapor Pres:40-50 @70F Vapor Density:> THAN AIR Spec Gravity:1.069 (H20=1) Evaporation Rate & amp; Reference:GREATER (H20=1) Solubility in Water:SLIGHT App earance and Odor:ORANGE/SOLVENT ODOR.
======================================
Stability Condition to Avoid:DO NOT STORE ABOVE 120F(49C).
======================================
Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE EMPTY OR FULL CANS, ONCE SPILLS OR LEAKS ARE CLEANED UP. DISPOSE OF WASTE IN ACCORDANCE WITH GOVERNMENTAL ORDINANCES.

Disclaimer (provided with this information by the compiling agencies): This infor

mation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.