

BONDED PRODUCTS, INC -- MULTIPURPOSE EPOXY-POLYAMIDE 5808332-1102 -- 8010-01-224-4909
===== Product Identification =====

Product ID: MULTIPURPOSE EPOXY-POLYAMIDE 5808332-1102

MSDS Date: 05/08/1989

FSC: 8010

NIIN: 01-224-4909

Kit Part: Y

MSDS Number: BJDVT

=== Responsible Party ===

Company Name: BONDED PRODUCTS, INC

Address: 439 S BOLMAR ST

Box: 39

City: WEST CHESTER

State: PA

ZIP: 19381-0039

Country: US

Info

Phone Num: 215-696-9220

Emergency Phone Num: 215-696-9220

Preparer's Name: A. NICHOLAS ROSA

CAGE: DO082

=== Contractor Identification ===

Company Name: ABBEY COLOR INC DBA ABBEY PRODUCTS AND BONDED

Address: 400 E TIOGA ST

Box: City: PHILADELPHIA

State: PA

ZIP: 19134-1127

Country: US

Phone: 215-739-9960

CAGE: 19092

Company Name: BONDED PRODUCTS, INC

Address: 439 SOUTH BOLMAR STREET

Box: 39

City: WEST CHESTER

State: PA

ZIP: 19381-0039

Phone: 610-696-9220 OR 215-739-9960

CAGE: DO082

Company Name: CALIFORNIA GASKET COR

P
CAGE:86044
Company Name:ITW PHILADELPHIA RESINS
Address:130 COMMERCE DR
Box:City:MONTGOMERYVILLE
State:PA
ZIP:18936
Country:US
Phone:215-855-8450
CAGE:20420

=====
Composition/Information on Ingredients
=====

Ingred Name:MODIFIED POLYAMIDE
Fraction by Wt: 78.49%
OSHA PEL:100 PPM
ACGIH TLV:50 PPM

Ingred Name:QUSO WR55-TLV=6MG/M3 TOTAL DUST, 3MG/M3 RESPIRABLE
CAS:7631-86-9
RTECS #:VV7322000
Fraction by Wt: 20%
ACGIH TLV:SEE INGREDIENT

Ingred Name:BLACK IRON OXIDE
CAS:12227-8
9-3
Fraction by Wt: 1%

=====
Hazards Identification
=====

LD50 LC50 Mixture:LD ORAL RAT 3200 MG/KG
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NO INFORMATION FOUND
Effects of Overexposure:IRRITATION OF NASAL PASSAGES, HEADACHE,
DIZZINESS, DROWSINESS, BLURRED VISION & BURNING SENSATION OF EYES.
DRYING AND CRACKING OF SKIN. SENSITIZATION RESULTING IN ALLERGIC
REACTION. ABDOMINAL REACTION IF INGESTED.
Medical Cond Aggravated by Exposure:ABRADED AND ABNORMAL SKIN
CONDITIONS. IRRITATED AND ABNORMAL EYE CONDITIONS.

=====
First Aid Measures
=====

First Aid:INHAL: REMOVE TO FRESH AIR, GIVE OXYGEN OR ART RESP IF
NEEDED, GET MD. SKIN : RINSE W/ PLENTY OF WATER, THEN WASH W/ SOAP
AND WATER, GET MD IF IRRITATION PERSISTS OR DEVELOPS. EYES: FLUSH
W/ WATER 15 MIN. GET MD. INGEST: IF CONSCIOUS, GIVETWO

GLASSES OF
WATER AND INDUCE VOMITING.

=====
Fire Fighting Measures
=====

Flash Point Method:COC

Flash Point:>115F,>46C

Lower Limits:1.4

Upper Limits:11.2

Extinguishing Media:CO2, DRY CHEMICAL

Fire Fighting Procedures:WEAR FULL PROTECTIVE EQUIP, INCLUDING SCBA,
NIOSH APPROVED. REMAIN UPWIND FROM FIRE.

Unusual Fire/Explosion Hazard:HANDLE PRODUCT AS A COMBUSTIBLE. HEATED
DRUMS CAN DEVELOP PRESSURE AND EXPLODE. KEEP DRUMS COOL W/ A WATER
SPRAY.

=

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN SPILL. AVOID FIRE AND SPARKS. RECLAIM,
IF POSSIBLE. ABSORB & SCOOP UP BALANCE AND PUT INTO METAL
CONTAINERS. EMULSIFY RESIDUE W/ 5% ACETIC ACID AND PUT INTO METAL
CONTAINERS FOR DISPOSAL.

Neutralizing Agent:SEE ABOVE

=====
Handling and Storage
=====

Handling and Storage Precautions:SPARK-PROOF MECH. VENT. USE PROTECTIVE
CLOTHING. AVOID CONTACT

W/ SKIN, EYES, OR CLOTHING & BREATHING

VAPORS. KEEP CNTNERS TIGHTLY CLOSED, COOL AREA.

Other Precautions:REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE
REUSE. DESTROY CONTAMINATED SHOES & LEATHER ARTICLES. USE A BARRIER
OF CREAM AS RECOMMENDED FOR THE HANDS BEFORE HANDLING PRODUCT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF TLV IS EXCEEDED, WEAR NIOSH/MSHA APPROVED
CHEMICAL CARTRIDGE RESP W/ ORGANIC VAPOR CARTRIDGE.

Ventilatio

n:GOOD SPARK-PROOF MECHANICAL VENTILATION. VENTILATING OF VAPORS SHOULD BE AWAY FROM OPERATOR.

Protective Gloves:IMPERVIOUS GLOVES

Eye Protection:SPLASH PROOF CHEMICAL GOGGLES.

Other Protective Equipment:SAFETY SPRAY OR SHOWER, EYE WASH FOUNTAIN. RUBBER APRON OR PROTECTIVE COVERING TO PREVENT BODY CONTACT.

Work Hygienic Practices:WASH SKIN AREAS W/ SOAP & WATER AFTER USING PRODUCT AND ESPECIALLY BEFORE EATING.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F4

Vapor Density:2.6

Spec Gravity:1.02

Solubility in Water:VERY SLIGHT

Appearance and Odor:BLACK PASTE W/ A CHARACTERISTIC ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS AND ACIDS

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN

=====
Disposal Considerations
=====

Waste

Disposal Methods:REACT THIS PART B W/ PART A. DISPOSE I/A/W FED, STATE AND LOCAL REGS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.