

SOUTH COAST TERMINALS INC -- SUPER MULTILUBE SAE 30 (FN204) -- 9150-00-188-9858  
===== Product Identification =====

Product ID: SUPER MULTILUBE SAE 30 (FN204)  
MSDS Date: 03/05/1990  
FSC: 9150  
NIIN: 00-188-9858  
MSDS Number: BJFND  
=== Responsible Party ===  
Company Name: SOUTH COAST TERMINALS INC  
Address: 7401 WALLISVILLE RD  
Box: 15535  
City: HOUSTON  
State: TX  
ZIP: 77020-3555  
Country: US  
Info Phone Num: 713-672-2401 EXT 232  
Emergency Phone Num: 713-672-2401-232/800-424-9300(CHEM)  
CAGE: 1L506  
=== Contractor Identification ===  
Company Name: SOUTH COAST TERMINALS, INC  
Address: 7401 WALLISVILLE ROAD  
Box: 15535  
City: HOUSTON  
State: TX  
ZIP: 77020  
Country: US  
Phone: 713-672-2401/800-424-9300(CHEMTREC)  
CAGE: 1L506

===== Composition/Information on Ingredients =====

Ingred Name: PETROLEUM OIL/BASE OIL/LUBRICATING OIL BASESTOCK  
CAS: 8002-05-9  
RTECS #: SE7175000  
Fraction by Wt: 80-90%  
Other REC Limits: NONE SPE

CIFIED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:PHOSPHORODITHIOIC ACID, ZINC SALT  
RTECS #:TD5110000  
Other REC Limits:NONE SPECIFIED

Ingred Name:THE MANUFACTURER STATES THAT THE IDENTITIES OF INGREDIENTS  
THAT ARE TRADE SECRETS ARE EXCLUDED FROM THE MSDS LIST.  
RTECS #:9999999ZZ  
Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Health Hazards Acute and

Chr

Chronic:ACUTE-EYE:IRRITATION.SKIN:IRRITATION.INHALE:EXPOSURE TO  
HEATED MIST/VAPOR MAY CAUSE  
IRRITATION.INGESTION:IRRITATION.CHRONIC-SKIN:DERMATITIS.

Effects of Overexposure:EYE:DIRECT CONTACT MAY CAUSE BURNING, TEARING,  
AND REDNESS.SKIN:REDNESS AND BURNING.INHALATION:IRRITATION TO NOSE  
AND THROAT.INGESTION:IRRITATION TO THE DIGESTIVE TRACT.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS  
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR  
RESPI

RATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:EYE:FLUSH WITH CLEAN WATER.IF IRRITATION/REDNESS PERSISTS,SEE  
A DOCTOR.SKIN:WASH WITH SOAP & WATER.IF IRRITATION PERSISTS, SEE A  
PHYSICIAN.INHALATION:MOVE TO FRESH AIR.IF IRRITATION PERSISTS, SEE  
A DO CTOR.INGESTION:DON'T INDUCE VOMITING.CALL A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point:200C(MIN)

Extin

quishing Media:WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL, SAND OR EARTH. WATER AND FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:RESPIRATORY PROTECTION AND EYE PROTECTION REQUIRED FOR FIRE FIGHTING PERSONNEL.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:TREAT AS AN OIL SPILL. CONTAIN AND REMOVE BY MECHANICAL MEANS.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage  
e =====

Handling and Storage Precautions:NONE NORMALLY REQUIRED.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:MECHANICAL (GENERAL) ROOM VENTILATION IS NORMALLY ADEQUATE.

Protective Gloves:NEOPRENE, NITRILE, PVC OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:NONE

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND

RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

THE MULTILUBE FN204 IS PART A, AND THE MOTOR OIL WS234 IS PART B.

MEDICAL OPINION IS

DIVIDED FOR LARGE INGESTION. EMESIS OR LAVAGE HAS BEEN RECOMMENDED FOR THOSE PETROLEUM PRODUCTS WHICH HAVE A HIGH ORAL TOXICITY.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>500F,>260C

Vapor Pres:1

Spec Gravity:.8

7-.88

pH:7

Evaporation Rate & Reference: