

DEXTER ELECTRONIC MTLS DIV.,THE DEXTER CORP. -- HYSOL PC12 007M -- 5970-01-063-1200
===== Product Identification =====

Product ID:HYSOL PC12 007M
MSDS Date:11/11/1986
FSC:5970
NIIN:01-063-1200
Kit Part:Y
MSDS Number: BJFRF
=== Responsible Party ===
Company Name:DEXTER ELECTRONIC MTLS DIV.,THE DEXTER CORP.
Address:211 FRANKLIN ST.
City:OLEAN
State:NY
ZIP:14760-1297
Country:US
Info Phone Num:716-372
-6300
Emergency Phone Num:716-372-6309
Preparer's Name:JAMES P. HORNBURG
CAGE:04347
=== Contractor Identification ===
Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV
Address:211 FRANKLIN ST.
Box:City:OLEAN
State:NY
ZIP:14760-1297
Country:US
Phone:716-372-6300/6309
CAGE:04347

===== Composition/Information on Ingredients =====

Ingred Name:REACTIVE POLYAMIDE
CAS:37189-83-6
Fraction by Wt: 60-100%
Other REC Limits:NONE SPECIFIED

===== Hazards Identif

ication =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-EYES:BURNS. SKIN:BURNS.
INHALATION:SLIGHTLY IRRITATING. INGESTION:NONE SPECIFIED BY
MANUFACTURER. CHRONIC-EYES:BURNS. SKIN:DERMATITIS.
INHALATION:IRRITATION. INGESTION:NONE SPECIFIED BY MANUFACTURER.
Explanation of Carcinogenicity:NOT CONSIDERED TO BE A CARCINOGEN BY
NTP, IARC, OR OSHA.
Effects of Overex
posure:EYES:BURNING. SKIN:BURNING. INHALATION: SLIGHT
IRRITATION. INGESTION:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER FOR 15 MIN WHILE HOLDING LIDS OPEN.
SEEK MEDICAL ATTENTION. SKIN:WASH WITH SOAP AND WATER. REMOVE
CONTAMINATED CLOTHING. INHALATION:REMOVE TO FRESH AIR. MATERIAL IS
A SENSITIZER. IF ALLERGIC MANIFESTATION
S OCCUR, SEEKMEDICAL
ATTENTION. INGESTION:NONE SPECIFIED BY MANUFACTURER.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:338F,170C
Lower Limits:0.6
Upper Limits:2.5
Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Ex
plosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQUID WITH AN INERT ABSORBENT AND PUT
IN A PROPER CONTAINER FOR DISPOSAL. WASH RESIDUE WITH WATER.
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED.
Other Precautions:NONE

=====

= Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:LOCAL EXHAUST-PREFERRABLE; MECHANICAL-ACCEPTABLE.

Protective Gloves:PLASTIC OR RUBBER.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:USE GOOD HYGIENE PRACTICES WHEN HANDLING THIS
PRODUCT.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:634F,334C

Vapor Pres: