

FLUORO-PLASTICS INC -- ADHESIVE 85 ACTIVATOR -- 8040-01-130-6004

=====
Product Identification
=====

Product ID:ADHESIVE 85 ACTIVATOR

MSDS Date:11/02/1987

FSC:8040

NIIN:01-130-6004

Kit Part:Y

MSDS Number: BJFRW

=== Responsible Party ===

Company Name:FLUORO-PLASTICS INC

Address:G AND VENANGO STS

City:PHILADELPHIA

State:PA

ZIP:19134

Country:US

Info Phone Num:215-425-5500

Emergency Phone Num:215-425-5500

CAGE:07658

=== Contractor Identification ===

Company Name:FLUORO-PLASTICS INC

Address:G AND VENANGO STS

Box:City:PHILADELPHIA

State:PA

ZIP:19134

Country:US

CAGE:07658

=====
Composition/Information on Ingredients
=====

CAS:68410-23-1

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards

Acute and Chronic:NONE, UNDER NORMAL CONDITIONS, HOWEVER
BASED ON THE LIMITED ACUTE ANIMAL DATA AVAILABLE IT MAY CAUSE SKIN
& EYE IRRITATION.

Explanation of Carcinogenicity:NOT RELEVANT

=====
First Aid Measures
=====

First Aid:INHAL:REMOVE TO FRESH AIR. SKIN:WASH WITH SOAP AND WATER.
INGEST:INDUCE VOMITING BY GIVING (2) GLASSES OF WATER AND STICKING
FINGER DOWN THROAT. EYES:FLUSH WITH WATER FOR 15 MINUTES.

=====
Fire Fighting Measures
=====

Flash Point Method:COC

Flash Point:410F,210C

Extinguishing Media:WATER FOG, FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:TOXIC VAP MAY BE RELEASD DURING FIRE,RESP
PROT SHOULD BE PROVIDED.MATL MUST BE MOD HEATED OR EXPOSD TO
RELATIVELY HIGH AMBIENT TEMPS BEFORE IGNITION CAN OCCUR.

=====
Accidental Release Measures
=====

Spill

Release Procedures:SOAK UP IN ABSORBENT MATERIAL OR SCRAPE UP.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:ENVIRONMENTAL HAZARD-PRODUCT MAY BE REGULATED AS AN
OIL UNDER SECTION 311 OF THE CLEAN WATER ACT, NO EMISSION
STANDARDS HAVE BEEN ESTABLISHED UNDER THE CLEAN AIR ACT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE
FOR EXPOSURE OF CONCERN. .

Ventilation:LOCAL EXHAUST

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:SAFETY SHOWER & EYE BATH, USE WITH ADEQUATE
VENTILATION.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

apor Pres:NEGLIGIBLE

Spec Gravity:25C

Evaporation Rate & Reference:0

Solubility in Water:PARTIALLY SOLUBLE

Appearance and Odor:AMBER VISCOUS LIQUID WITH AN AMINE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:MATERIAL IS NORMALLY STABLE, EVEN UNDER
FIRE EXPLOSURE CONDITIONS. IS NOT REACTIVE WITH WATER.

Hazardous Decomposition Products:THERMAL DECOMPOSITION M
AY PRODUCE

CARBON MONOXIDE, ORGANIC AND ORGANIC NITROGEN COMPOUNDS OF UNKNOWN
STRUCTURE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR LANDFILL ACCORDING TO LOCAL, STATE
& FEDERAL ANTI-POLLUTION REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
express

ly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.