Product ID:COMPONENT 4 OF DECON I MSDS Date:01/01/1987 FSC:4230 NIIN:01-101-3984 MSDS Number: BJHVY === Responsible Party === **Company Name: CHEMTRONICS INC** Address:180 OLD BEE TREE RD City:SWANNANOA State:NC ZIP:28778-3409 Country:US Info Phone Num: MAY WRITE TO MR. MOORE Emergency Phone Num:NOT LISTED I N PHONE DIRECTORY CAGE:60737 === Contractor Identification === **Company Name: CHEMTRONICS INC** Address:180 OLD BEE TREE RD Box:City:SWANNANOA State:NC ZIP:28778-3409 Country:US Phone:NOT LISTED IN PHONE DIRECTORY CAGE:60737

Ingred Name:AMMONIA (SARA III) CAS:7664-41-7 RTECS #:BO0875000 Fraction by Wt: 0.2% Other REC Limits:25 PPM OSHA PEL:50 PPM ACGIH TLV:25 PPM/35 STEL; 9293 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

\_\_\_\_\_

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION: CORROSIVE TO BODY TISSUES, SUFFOCATION, IRRITATION TO MUCOUS MEMBRANES/LUNG TISSUE, PERMANENT **INJURY & DEATH. EYES: IRRITATION.** Explanation of Carcinogenicity:NONE Effects of Overexposure: INHALATION: CORROSIVE TO BODY TISSUES, SUFFOCATION, IRRITATION OF THE MUCOUS MEMBRANES/L UNG TISSUE, PERMANENT INJURY & DEATH, EYES: IRRITATION. First Aid: EYES: FLUSH W/LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN. SKIN: FLUSH W/WATER & REMOVE CONTAMINATED CLOTHING. INHALATION: REMOVE TO FRESH AIR. RESTORE/SUPPORT BREATHING IF REQUIRED. Lower Limits:16.0% Upper Limits:25.0% Extinguishing Media:WATER SPRAY, FOG. Fire Fighting Procedures: FIREFIGHTERS NEED SELF-CONTAINED BREATHING APPARATUS W/FULL-FACE PIECE & FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: MODERATE FIRE & EXPLOSION HAZARD WHEN EXPOSED TO HEAT OR FLAME. Spill Release Procedures: ELIMINATE IGNITION SOURCES & PROVIDE VENTILATION. USE A COLD WATER SPRAY TO ABSORB AMMONIA. Handlin g and Storage Precautions: STORE IN A COOL, WELL-VENTILATED AREA AWAY FORM OXIDIZERS, COMBUSTIBLES, & SOURCES OF IGNITION. Respiratory Protection: NIOSH/MESA APPROVED RESPIRATOR WHERE >TLV. Ventilation:LOCAL EXHAUST/MECHANICAL Protective Gloves: RUBBER, NEOPRENE Eve Protection: CHEMICAL GOGGLES Other Protective Equipment: EYEWASH, SAFETY SHOWER Supplemental Safety and Health KEY1:C2. ================= Physical/Chemical Prope

HCC:F2 Boiling Pt:B.P. Text:-28F Vapor Pres:4800 Vapor Density:0.6 Spec Gravity:0.62 Solubility in Water:7.4 GAL/100C Appearance and Odor:STRONG, PUNGENT ODOR DETECTABLE 5PPM & PROVIDES A WARNING OF HAZARD. Percent Volatiles by Volume:100% Corrosion Rate:/K

Stability Indicator/Materials to Avoid:YES MERCURY, CHLORINE, IODINE, BROMINE, SILVER OXIDE, HYPOCHLORITES, OXIDIZERS, & COMBUSTIBLES.

St ability Condition to Avoid:HEAT, FLAME, IGNITION SOURCES Hazardous Decomposition Products:HYDROGEN, NITROGEN

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. SOLUTION OF AMMONIA IN PURE WATER MAY BE USED OR SOLD.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Unite

d States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.