View NSN Online: https://aerobasegroup.kr/nsn/7930-00-205-2881

J.L. HOFFMAN CO. INC. -- SOUR (LAUNDRY SOUR & BLUE) -- 7930-00-205-2881

Product ID:SOUR (LAUNDRY SOUR & BLUE) MSDS Date:03/01/1990 FSC:7930 NIIN:00-205-2881 **MSDS Number: BJLDL** === Responsible Party === Company Name: J.L. HOFFMAN CO. INC. Address:414 NORTH FULTON STREET Box:8656 City:ALLENTOWN State:PA ZIP:18105 Country:US Info Phone Num:215-432-4014 OR 215-432-445 5 Emergency Phone Num:215-432-4014 OR 215-432-4455 Preparer's Name: I. HADJILOUKAS CAGE:74381 === Contractor Identification === Company Name: J.L. HOFFMAN CO. INC Address:414 NORTH FULTON STREET Box:8656 City:ALLENTOWN State:PA ZIP:18105 Phone:215-432-4455 CAGE:74381

Ingred Name:SODIUM SILICOFLUORIDE CAS:16893-85-9 RTECS #:VV8410000 Fraction by Wt: 60% Other REC Limits:NONE SPECIFIED

Ingred Name:INERT Fraction by Wt: 40% Other **REC Limits:NONE SPECIFIED**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:HIGHLY IRRITATING & TOXIC EST. LD MAN' 2.5-5.9 GF-CAUSES NAUSEA, VOMITING, DIARRHEA, ABNORMAL BURNING & RASHES, CHRONIC SCLEROSIS, PULMONARY FIBROSIS, ASTHMA, EMPHYSEMA.
Effects of Overexposure:HIGHLY IRRITATING & TOXIC EST. LD MAN' 2.5-5.9 GF-CAUSES NAUSEA, VOMITING, DIARRHEA, ABNORMAL BURNING & RA SHES,

CHRONIC SCLEROSIS, PULMONARY FIBROSIS, ASTHMA, EMPHYSEMA.

First Aid:EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER. SKIN: REMOVE CLOTHING, WASH WITH SOAP & WATER. INHALATION: MOVE TO FRESH AIR. INGESTION: DRINK AS MUCH WATER AS POSSIBLE, INDUCE VOMITING. SEEK MEDICAL ATTEN TION IMMEDIATELY IN ALL CASES.

Extinguishing Media:WATER SPRAY, FOA

- M, DRY CHEMICAL OR CO2. *(PH: 3.1
 - FOR 1%)

Fire Fighting Procedures: USE SELF CONTAINED BREATHING APPARATUS, WEAR IMPERVIOUS PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:HIGHLY TOXIC, NA2O, HF AND F - FUMES ARE FORMED IN A FIRE

Spill Release Procedures: CAREFULLY SHOVEL MATERIAL INTO CLEAN DRY CONTAINER & COVER.

Handling and Storage Precau

tions:DO NOT STORE NEAR FOOD OR FEED. WEAR

RECOMMENDED PERSONAL PROTECTION GEAR. STORE IN ORIGINAL CONTAINER. Other Precautions: KEEP SEPARATED FROM STRONG ACIDS & ALKALIES.

Respiratory Protection:SINGLE USE DUST RESPIRATOR E.G. 3M 8710 Ventilation:GENERAL EXHAUST OR LOCAL VENTILATION. Protective Gloves:IMPERVIOUS Eye Protection:GOGGLE-FACE SHIELD Other Protective Equipment:IMPERVIOUS CLOTHS-PROTECT OPEN WOUNDS Supplemental Safety and Health

Spec Gravity:2.679 pH:* Solubility in Water:100% Appearance and Odor:ODORLESS BLUE POWDER

Stability Indicator/Materials to Avoid:YES
SAME AS CONDITIONS TO AVOID.
Stability Condition to Avoid:AVOID CONTACT WITH STRONG ACIDS & ALKALIES. CONTACT WITH STRONG ACID WILL CAUSE FORMATION OF HYDROGEN FLUORIDE GAS.
Hazardous Decomposition P roducts:EXTREME TEMPERATURES SUCH AS A FIRE CAUSE FORMATION OF NA2O, HF AND F.

Waste Disposal Methods:CONTACT PROPER LOCAL AND FEDERAL OR STATE REGULATORY AGENCY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.