

TACC INTERNATIONAL CORP. -- RUBBER ADHESIVE -- 8040-00-165-8614

=====  
Product Identification  
=====

Product ID:RUBBER ADHESIVE

MSDS Date:07/01/1989

FSC:8040

NIIN:00-165-8614

MSDS Number: BJMWX

=== Responsible Party ===

Company Name:TACC INTERNATIONAL CORP.

Address:AIR STATION INDUSTRIAL PARK

Box:390

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Info Phone Num:617-878-7015

Emergency Phone Num:800-424

-9300 CHEMTREC

Preparer's Name:PAULA HESS

CAGE:0HZU1

=== Contractor Identification ===

Company Name:TACC INTERNATIONAL CORP

Address:AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:781-878-7015

CAGE:0HZU1

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

Fraction by Wt: 42-50%

Other REC Limits:NONE SPECIFIED

OSHA PEL:500 PPM

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 15-18%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ACETONE (SARA III)  
CAS:67-64-1  
RTECS #:AL3150000  
Fraction by Wt: 20-25%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1000PPM  
ACGIH TLV:750PPM/1000STEL;9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ETHYL ALCOHOL (ETHANOL)  
CAS:64-17-5  
RTECS #:RQ6300000  
Fraction by Wt:  
2%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALE:HEADACHE, DIZZY, NAUSEA, UPPER  
RESPIRATORY DRYNESS OR IRRIT, DROWSINESS, MENTAL DEPRESS OR  
NARCOSIS DIFFICULT BREATHING. SOLVENT VAPORS COULD LEAD TO  
PERMANENT EFFECTS TO NERVOUS SYSTEM, BODY O R  
GANS OR BRAIN. USE  
WITH ADEQUATE VENTILATION. EYE: IRRIT. INGESTION:HARMFUL/FATAL.  
SKIN REMOVAL OF SKIN OILS AND IRRIT.  
Effects of Overexposure:INHALE:HEADACHE, DIZZY, NAUSEA, UPPER  
RESPIRATORY DRYNESS OR IRRIT, DROWSINESS, MENTAL DEPRESS OR  
NARCOSIS DIFFICULT BREATHING. SOLVENT VAPORS COULD LEAD TO  
PERMANENT EFFECTS TO NERVOUS SYSTEM, BODY O RGANS OR BRAIN. USE  
WITH ADEQUATE VENTILATION. EYE: IRRIT. INGESTION:HARMFUL/FATAL.  
SKIN REMOVAL OF SKIN OILS AND IRRIT.

=====

=====  
First Aid Measures  
=====

First Aid:INHALATION: GET FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES, IF NECESSARY, CALL A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. INGESTION: CALL POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY.

=====  
Fire Fighting Measures  
=====

Flash Point Method:CC  
Flash Point: