

JET-LUBE,INC -- KOPR-KOTE,ANTI SEIZE COMPOUND (PROPRIETARY) -- 8030-01-239-8703

=====  
Product Identification  
=====

Product ID:KOPR-KOTE,ANTI SEIZE COMPOUND (PROPRIETARY)

MSDS Date:05/14/1986

FSC:8030

NIIN:01-239-8703

MSDS Number: BJNRZ

=== Responsible Party ===

Company Name:JET-LUBE,INC

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77226-1258

Country:US

Info Phone Num:713-674-76

17

Emergency Phone Num:713-674-7617

Preparer's Name:VT WILCOX

CAGE:GO987

=== Contractor Identification ===

Company Name:JET-LUBE INC

Address:4849 HOMESTEAD RD

Box:21258

City:HOUSTON

State:TX

ZIP:77026

Country:US

Phone:713-674-7617

CAGE:07431

Company Name:JET-LUBE,INC

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77226-1258

Phone:713-674-7617

CAGE:GO987

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM OIL

CAS:64741-96-4

RTECS #:PY80400

00  
Fraction by Wt: 70% MAX  
Other REC Limits:N/K  
OSHA PEL:5 MG/M3 OIL MIST  
ACGIH TLV:5 MG/M3 OIL MIST

===== Hazards Identification =====

LD50 LC50 Mixture:N/K  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF  
OVEREXPOSURE.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:EYES:N/K .SKIN:REDNESS AND IRRITATION.REPEATED  
SKIN CONTACT FOR PERSONS HYPERSENSITIVE TO PETROLEUM PRODUCT CAN  
CAUSE REDNESS AND IRRITATION OF THE SKIN.INGESTION/INHALATION:N/K

===== First Aid Measures =====

First Aid:EYES:RINSE WITH COPIOUS QUANTITIES OF WATER MIN 15 MINUTES  
(FP/A.).SKIN:REMOVE BY WIPING OR WATERLESS HAND CLEANER FOLLOWED BY  
WASHING.INGESTION:DO NOT INDUCE VOMITING.CALL A  
PHYSICIAN.INHALATION:CLEAR AIR PASSAGE.CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:466F,241C  
Autoignition Temp:Autoignition Temp Text:260C  
Extinguishing Media:USE FOAM,DRY CHEMICAL,WATER SPRAY (FOG),CARBON  
DIOXIDE OR VAPORIZING LIQUID TYPE EXTINGUISHING AGENTS.  
Fire Fighting Procedures:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR  
ENCLOSED OR CONFINED SPACES.  
Unusual Fire/Explosion Hazard:NONE.HAZ DECOMP PROD:HYDROGEN,CARBON  
MONOXIDE,ALDEHYDES,SMOKE,FUMES AND TOXIC COPPER COMPOUNDS.

===== Acc

idental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS.WIPE UP WITH RAGS.PICK-UP  
RESIDUE WITH DIATOMACEOUS EARTH TO AVOID WALKING HAZARD.

Neutralizing Agent:N/K

===== Handling and Storage =====

Handling and Storage Precautions:NORMAL PRECAUTIONS AS WITH ANY  
PETROLEUM PRODUCT.

Other Precautions:NOT REQUIRED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.

Ventil

ation:NOT REQUIRED.

Protective Gloves:NOT REQUIRED.

Eye Protection:NOT REQUIRED.

Other Protective Equipment:PERSONS WITH HYPERSENSITIVE SKIN SHOULD USE  
GLOVES.

Work Hygienic Practices:WASH HANDS BEFORE EATING.

Supplemental Safety and Health

ROUTES OF ENTRY:INGESTION/SKIN/INHALATION .

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:624F,329C

Decomp Temp:Decomp Text:N/K

Vapor Pres:5 (AIR=1)

Spec Gravity:1.20 (WATER=1)

Evaporation Rate & Referenc

e: