

MALTER INTERNATIONAL BULK CHEMICAL DIVISION -- MIL-H-6083D HYDRAULIC FLUID --
9150-00-935-9810

===== Product Identification =====

Product ID:MIL-H-6083D HYDRAULIC FLUID

MSDS Date:10/01/1986

FSC:9150

NIIN:00-935-9810

MSDS Number: BJNXW

=== Responsible Party ===

Company Name:MALTER INTERNATIONAL BULK CHEMICAL DIVISION

Address:80 FIRST STREET

City:GRETNA

State:LA

ZIP:70053

Country:US

Info Phone Num:

504-362-3232

Emergency Phone Num:504-362-3232

CAGE:27978

=== Contractor Identification ===

Company Name:MALTER INTERNATIONAL BULK CHEMICAL DIVISION

Address:80 FIRST STREET

Box:City:GRETNA

State:LA

ZIP:70053

Country:US

Phone:504-362-3232, OR 800-535-4095

CAGE:27978

===== Composition/Information on Ingredients =====

Ingred Name:"NOT HAZARDOUS"

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of En

try: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HEALTH HAZARDS: EYE-MAY CAUSE IRRITATION. SKIN-IRRITATION. INHALE-MAY CAUSE LOCAL IRRITATION. INGEST-MAY CAUSE LOCAL IRRITATION OF THE MUCOUS MEMBRANE OF THE MOUTH, ESOPHAGUS AND STOMACH.
Explanation of Carcinogenicity:THE COMPONENTS OF THIS PRODUCT HAVE NOT SHOWN ANY EVIDENCE OF BEING CARCINOGENIC.
Effects of Overexposure:OVEREXPOSURE: EYE-BURNING. SKIN-DERMATITIS.
INHALE-DROWSINESS, PNEUMONIA OR COMA.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:SKIN: REMOVE SOILED CLOTHING. WASH AREA WITH SOAP AND WATER.
INHALE: REMOVE TO FRESH AIR IMMEDIATELY. IF BREATHING STOPS, GIVE CPR & OXYGEN. SEE A DOCTOR IMMEDIATELY. EYE: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. CALL A DOCTOR IMMEDIATELY.
INGEST: DO NOT INDUCE VOMITING. CALL A DOCTOR IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:200F,93C
Autoignition Temp:Autoignition Temp Text:600F
Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:TREAT AS OIL FIRES. USE WATER ONLY TO COOL SURROUNDING CONTAINERS OF FLAMMABLE OR COMBUSTIBLE MATERIAL.
Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE GENERATED WHEN BURNING. PRODUCTS OF COMBUSTION-CO, CO2. SMOKE, SOX.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SPILL-SCRAPE UP MATERIAL INTO WASTE CONTAINER OR ABSORB WITH DRY SAND OR OIL ABSORBENTS. CLEAN SPILL AREA WITH DETERGENT SOLUTION OR SAFETY SOLVENTS. PROVIDE ADEQUATE VENTILLATION DURING CLEAN UP.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORAGE-STORE IN SEALED CONTAINER AWAY FROM HEAT, OPEN FLAME, & OXIDIZING MATE

RIALS. FIRE EXTINGUISHERS

MUST BE KEPT READILY AVAILABLE.

Other Precautions:DO NOT TRANSFER TO UNMARKED CONTAINER. FOLLOW DOT REGULATIONS DURING TRANSPORT. PROPRIETARY CHEMICALS OBTAINED FROM VARIOUS MANUFACTURERS ARE ADDED TO THIS PRODUCT. THESE ADDITIVES HAVE BEEN DESIGNATE D AS NONHAZARDOUS BY THE MANUFACTURERS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:LOW CONCENTRATION MIST-USE HALF-MASK OR FULL FACE PIECE RESPIRATOR WIT

H REPLACEABLE CARTRIDGE FILTER. HIGH

CONCENTRATION MIST-USE FULL FACE SUPPLIED AIR RESPIRATORY IN POSITIVE PRESSURE MODE OR FULL F ACE SCBA WITH POSITIVE PRESSURE.

Ventilation:ADEQUATE VENTILATION IN ACCORDANCE WITH GOOD ENGINEERING PRACTICE MUST BE PROVIDED.

Protective Gloves:SYNTHETIC RUBBER GLOVES

Eye Protection:PLASTIC FACE SHIELD/CHEMICAL SPLASH

Other Protective Equipment:SYNTHETIC RUBBER PROTECTIVE CLOTHING, BOOTS, ETC. MAY BE WORN TO PROTECT THE BODY.

Work Hygienic Practic

es:WASH HANDS AND FACE WITH SOAP AND WATER BEFORE SMOKING OR EATING.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:440F,227C

Vapor Pres: