

DOW CORNING CORP -- DOW CORNING (R) 1292 LONG LIFE BEARING GREASE -- 9150-00-007-9289  
===== Product Identification =====

Product ID:DOW CORNING (R) 1292 LONG LIFE BEARING GREASE

MSDS Date:08/31/1992

FSC:9150

NIIN:00-007-9289

MSDS Number: BJPQR

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info Phone Num:517-4

96-6000

Emergency Phone Num:517-496-5900

Preparer's Name:JACK L.SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:

KY  
ZIP:42701-9804  
Country:US  
Phone:502-737-6757  
CAGE:66172

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)  
CAS:71-55-6  
RTECS #:KJ2975000  
Fraction by Wt: 0.5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:350 PPM/450 STEL  
ACGIH TLV:350 PPM/450STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS  
Ozone Depleting Chemical:1

Ingred Name:TRIFLUOROPROPYLMETHYL,POLYSILOXANE,TRIMETHYLTERMINATED.  
Other REC Limits:NONE SPECIFIED

Ingred Name:ALKYL/FLUOROALKYL-SUBSTITUTED ARYLAMINE DIISOCYANATE  
REACTION PRODUCT.  
Fraction by Wt: 15.0%  
Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:DIRECT CONTACT WITH EYE MAY CAUSE  
TEMPORARY DISCOMFORT WITH MILD REDNESS AND DRYNESS SIM  
ILAR TO WIND  
BURN. SWALLOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE DISCOMFORT.  
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS  
CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA PER  
MANUFACTURER.  
Effects of Overexposure:MAY CAUSE EYE IRRITATION, EYE REDNESS/DRYNESS.  
MAY CAUSE GASTROINTESTINAL DISTURBANCES.  
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS  
OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR  
RESPIRATORY TRACT

MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR IF IRRITATION OCCURS. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET MEDICAL ADVICE

=====  
===== Fire Fighting Measures =====

Flash Point Method:CC  
Flash Point:>212F,>100C  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.  
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.(FLUORINE GASES AND COMPOUNDS FORMED)

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PRODUCT AND USE ABSORBENT MATERIAL TO TAKE CARE OF ANY OIL-LIKE RESIDUES.  
Neutralizing Agent:NOT APPLICABLE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.  
Other Precautions:WASH AT MEALTIME AND AT END OF SHIFT.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WITH AN ADEQUATE VENTILATION.  
Ventilation:NORMAL ROOM VENTILATION  
Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER  
Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD  
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hy

gienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health  
USE AT ELEVATED TEMPERATURES MAY REQUIRE ADDED PRECAUTIONS.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:1.28

Solubility in Water:NEGLIGIBLE

Appearance and Odor:VERY LITTLE ODOR, GREASE, SOME COLOR

===== Stability and Reactivity Data =====

Stability Indic

ator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXTREMELY HIGH TEMPERATURES

Hazardous Decomposition Products:FLUROINE,CHLORINE COMPOUNDS, CARBON DIOXIDE, OXIDES OF NITROGEN AND OTHER UNIDENTIFIED COMPONENTS.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES.DISPOSAL MUST BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.