

CLIFTON ADHESIVE INC -- FA-1030 NEUTRAL -- 8040-00-515-2246

=====
Product Identification
=====

Product ID:FA-1030 NEUTRAL

MSDS Date:09/14/1988

FSC:8040

NIIN:00-515-2246

Kit Part:Y

MSDS Number: BJQCJ

=== Responsible Party ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PLACE

City:WAYNE

State:NJ

ZIP:07474-0832

Country:US

Info Phone Num:201-694-0845

Emergency Phone Num:201-694-0845

CAGE:79833

=== Contractor Identification ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-0845; 973-694-0845

CAGE:79833

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 34%

Other REC Limits:NONE SPECIFIED

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:RUBBER SOLVENT

CAS:8030-30-6

RTECS

#:DE3030000

Fraction by Wt: 36%

Other REC Limits:NONE SPECIFIED

ACGIH TLV:400 PPM

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NAUSEA AND/OR NARCOSIS. MAY CAUSE
NERVE DAMAGE.

Effects of Overexposure:IRRITATION TO EYES AND MUCOUS MEMBRANES.

DRYNESS AND CRACKING OF SKIN. LIQUID INGESTION MAY CAUSE VOMITING.

NUMBNESS, T

INGLING AND WEAKNESS OF ARMS OR LEGS.

Medical Cond Aggravated by Exposure:RESPIRATORY AILMENTS.

=====
===== First Aid Measures =====

First Aid:SKIN:WASH WITH SOAP AND WATER. REFER TO PHYSICIAN IF

IRRITATION PERSISTS. EYS:FLUSH EYES ABUNDANTLY WITH CLEAN WATER AND

REFER TO A PHYSICIAN. INGESTION:DO NOT INDUCE VOMITING. REFER TO A

PHYSICIAN. E XCESSIVE INHALATION:REMOVE PATIENT TO FRESH AIR OR

GIVE OXYGEN. USE CPR IF PATIENT IS NOT BREATHING. REFER

TO

PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:< 0F/