View NSN Online: https://aerobasegroup.com/nsn/8030-00-285-1568

Product ID:RUBBER,SHAFT COV MATL TROWELABLE,PTB-ACCELE MSDS Date:05/17/1988 FSC:8030 NIIN:00-285-1568 Kit Part:Y **MSDS Number: BJQQZ** === Responsible Party === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET City:HIGHLAND State:CA ZIP:92 346 Country:US Info Phone Num:714-864-2310 Emergency Phone Num:714-864-2310 Preparer's Name:C.A. EISENHARD CAGE:60777 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777

Ingred Name:LEAD OXIDE CAS:1317-36-8 RTECS #:OG1750000 Fraction by Wt: 62.5% ACGIH TLV:0.05 MG/M3

Ingred Name:POLYAMI

NE CAS:39701-29-6 Fraction by Wt: 9.5%

Ingred Name:CLAY CAS:71011-26-2 Fraction by Wt: 1.5% ACGIH TLV:15 MG/M3

Ingred Name:PROPYLENE GLYCOL MONOMETHYL ETHER CAS:107-98-2 RTECS #:UB7700000 Fraction by Wt: 26.5% OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:EYES:MAY PRODUCE SLIGHT IRRIT.SKIN:SLIGHT IRRIT UPON PROLONGED & R

EPEATED

CONTACT.INHALATION:ANESTHETIC OR NARCOTIC EFFECT MAY OCCUR AT VERY HIGH CONC.INGESTION:MAY CAUSE LIVER AND/OR KIDNEY DAMAGE.LE AD OXIDE IS POISONOUS.SYMPTOMS MAY INCLUDE TIREDNESS,LOSS OF APPETITE,STOMACH CRAMPS,MUSCLE WEAKNESS,CONVULSIONS,DEATH.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. INHALAT

ION: REMOVE TO FRESH AIR. IF BREATHING STOPS,

BEGIN ARTIF ICIAL RESPIRATION AND CONSULT A PHYSICIAN. INGESTION: INDUCE VOMITING. CALL PHYSICIAN.

Flash Point:94.0F,34.4C Lower Limits:1.6 Upper Limits:13.8 Extinguishing Media:WATER FOG, CARBON DIXOIDE, FOAM OF DRY CHEMICAL. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:PRODUCTS OF COMBUST

## ION MAY BE TOXIC.

Spill Release Procedures: ABSORB ON SUITABLE INERT MATERIAL. REMOVE ALL SOURCES OF IGNITION.

Handling and Storage Precautions:STORE AT 50 F TO 70 F. KEEP AND STORE IN COOL, DRY PLACE AWAY FROM SOURCES OF IGNITION. GROUND DURING TRANSFER.

Other Precautions: REPEATED AND PROLONGED OVEREXPOSURE MAY CAUSE BRAIN AND NERVOUS SYST

EM DAMAGE. CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

Respiratory Protection: USE A NIOSH APPROVED CARTRIDGE RESPIRATOR OR GAS MASK.

Ventilation:MECHANICAL.

Protective Gloves: IMPERMEABLE

Eye Protection: SAFETY GLASSES W/SIDES OR CHEM GOGGLES.

Other Protective Equipment: AVAILABILITY OF EYE WASHES AND SAFETY SHOWERS IS RECOMMENDED.

Supplemental Safety and Health

======= Physical/Chemi

Vapor Density:>1 Spec Gravity:2.21 Evaporation Rate & amp; Reference: