Product ID:SEALING COMPOUND, X-500A MSDS Date:02/26/1990 FSC:8030 NIIN:00-543-4384 **MSDS Number: BJQSS** === Responsible Party === **Company Name: BAKER SEALANTS & COATINGS COMPANY** Address:234 SUYDAM AVENUE Box:B City: JERSEY CITY State:NJ ZIP:07304 Country:US Info Phone Num:800-424-9300 (CHEMTREC,24 HR,7 DYS) Emergency Phone Num:201-333-6986 (8AM - 4PM) Preparer's Name: CHARLES FRIEDMAN CAGE:FO833 === Contractor Identification === Company Name: BAKER SEALANTS & COATINGS CO., INC. Address:234 SUYDAM AVENUE Box:B City: JERSEY CITY State:NJ ZIP:07304-3306 Phone: (201) 333-6986 CAGE:FO833 Company Name: BAKER SEALANTS AND COATINGS CO Address:234 SUYDAM AVE Box:City:JERSEY CITY State:NJ ZIP:07304-3306 Country:US Phone:201-333-6986 CAGE:34094 Company Name: STEVEN INDUSTRIES Address:39 AVENU

E C Box:8 City:BAYONNE State:NJ ZIP:07002-3417 Country:US Phone:201-437-6501 CAGE:33150

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:ROSIN DERVIATIVE CAS:8050-09-7

Ingred Name:CASTOR OIL, BLOWN CAS:68187-84-8

Ingred Name:TALC CAS:14807-96-6 RTECS #:VV7720000

Ingred Name:SILICA CAS:112945-52-5 RTECS #:VV7310000

\_\_\_\_\_

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:EYES:IRRIT,REDNESS,TEARING,BLURRED VISION.FLUSH W/LG AMT WATER.SKIN:IRRIT,DEFATT,DERMATITIS.WASH W/SOAP/WATER.INHALE:NASAL/RSPRTRY IRRIT,DIZZI,NAUSEA,HEADACHE,POSSIBLE UNCONSCIOUSNESS & ASPHYXIATION.R EMOVE TO FRESH AIR,GIVE OXY IF NECESSARY.INGEST:GASTROINTESTIN IRRIT, NAUSEA,DIARRHEA.DRINK TWO GLASS WATER, INDUCE VOMIT

======================================
First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE INDIVIDUAL TO FRESH AIR AND ADMINISTER OXYGEN IF NECESSARY. CALL A PHYSICIAN. INGESTION: DRINK TWO G LASSES OF WATER AND INDUCE VOMITING. CALL A PHYSICIAN.
======================================
Flash Point:53.0F,11.7C Lower Limits:2.5 Upper Limits:12
Extinguishing Media:EXTINGUISH WITH ALCOHOL FOAM, CO2 OR DRY CHEMICALS. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:KEEP AWAY FROM SOURCES OF IGNITION.
======================================
Spill Release Procedures: IF SPILLED, ELIMINATE ALL SOURCES OF IGNITION. DIKE AREA, USE FLOOR ABSORBENT AND SHOVEL INTO CONTAINERS.
======================================
Handling and Storage Precautions:ALL HAZARD PRECAUTIONS GIVEN IN THIS DATA SHEET MUST BE OBSERVED.
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection:AIR SUPPLIED RESPIRATOR. Ventilation:LOCAL EXHAUST OR MECHANICAL. Protective Gloves:RUBBER, NEOPRENE GLOVES. Eye Protection:CHEMICAL SPLASH GOGGLES. Supplemental Safety and Health
======================================

Boiling Pt:B.P. Text:180F,82C Vapor Pres:33 Vapor Density:2.0 Spec Gravity:.784 Evaporation Rate & amp; Reference:7.70 (ETHYL ETHER) Solubility in Water:100 Appearance and Odor:BROWN VISCOUS LIQUID, ODOR IS PLEASANT. Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS

Waste Disposal Methods:DISPOSE OF "AS PER FEDERAL, STATE AND LOCAL REGULATIONS."

Disclaimer (provided

with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.