View NSN Online: https://aerobasegroup.com/nsn/7930-00-266-7121

CHEMSCOPE CORP. -- POLISH, METAL, LIQUID -- 7930-00-266-7121

Product ID: POLISH, METAL, LIQUID MSDS Date:12/04/1990 FSC:7930 NIIN:00-266-7121 MSDS Number: BJRDG === Responsible Party === Company Name: CHEMSCOPE CORP. Address:3200 E RANDOL MILL ROAD City:ARLINGTON State:TX ZIP:76011-6838 Country:US Info Phone Num:817-640-5653 Emergency Phone Num:817-640-5653 Prepar er's Name: ROGER N. COTMAN CAGE: JO767 === Contractor Identification === Company Name: CHEMSCOPE CORP Address:3200 E RANDOL MILL RD Box:City:ARLINGTON State:TX ZIP:76011-6838 Country:US CAGE:53984 Company Name: CHEMSCOPE CORP. Address:3200 E. RANDOL MILL ROAD City:ARLINGTON ZIP:76011 Country:US CAGE: JO767

Ingred Name:AMMONIUM HYDROXIDE (SARA III) CAS:1336-21-6 RTECS #:BQ9625000 Fraction by Wt: 0.4% Other REC Limits:NONE SPECIFIED EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

==

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Other REC Limits:NONE SPECIFIED

Ingred Name:UNIDENTIFIED NON-HAZARDOUS INGREDIENTS RTECS #:99999992Z Fraction by Wt: 99.6% Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EYE, SKIN, GASTROINTESTINAL &

RESPIRATORY TRACT IRRITATION. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Effects of Overexposure:CAN CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION. INGESTION MAY CAUSE HEADACHE, DROWSINESS, AND NAUSEA. Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE SKIN MAY BE AT INCREASED RISK FROM EXPOS URE.

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING EYELID. GET MEDICAL ATTENTION IMMEDIATELY. SKIN: WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ADVICE. INHALATION: REMOV E TO FRESH AIR. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GIVE 1 OR 2 GLASSES OF WATER TO DRINK. GET MEDICAL ATTENTION IMMEDIATELY. Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:NONE KNOWN

Spill Release Procedures:SMALL SPILL: WIPE/SOAK UP WITH PAPER TOWEL O R

INERT ABSORBENT. PUT IN DISPOSAL CONTAINER. LARGE SPILL: VENTILATE AREA. DIKE TO RETAIN RUN OFF. VACUUM UP OR PUMP FREE LIQUID INTO DOT SALVAGE CONTAINER AND SEAL FOR DISPOSAL. Neutralizing Agent: ACETIC ACID OR VINEGAR

Handling and Storage Precautions: AVOID PHYSICAL CONTACT. KEEP AWAY FROM HEAT. KEEP CONTAINER CLOSED. WASH AFTER HANDLING. Other Precautions: KEEP OUT OF REACH OF CHILDREN.

Respiratory Protection:NONE REQUIRED WHEN USED WITH GOOD VENTILATION. Ventilation:LOCAL EXHAUST SPECIFIED BY MANUFACTURER. Protective Gloves:NEOPRENE OR NATURAL RUBBER GLOVES Eye Protection:CHEMICAL SPLASH GOGGLES Other Protective Equipment:APRON AS REQUIRED. Work Hygienic Practices:WASH HANDS BEFORE EATING AND SMOKING. DO NOT USE AROUND FOOD STUFFS. Supplemental Safety and Health AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS. DO NOT INGEST. READ PRECAUTIONS ON

LABEL BEFORE USE.

HCC:N1 Boiling Pt:B.P. Text:212F,100C Vapor Pres:16 Vapor Density:0.6 Spec Gravity:1.0 pH:13 Evaporation Rate & amp; Reference: