View NSN Online: https://aerobasegroup.kr/nsn/6685-00-938-0431

TEMPIL DIV., BIG THREE INDUSTRIES INC. -- TEMPILSTIK 163 TEMPERATURE INDICATOR

6685-00-938-0431

============= Product Identification =================

Product ID:TEMPILSTIK 163 TEMPERATURE INDICATOR

MSDS Date:06/14/1988

FSC:6685

NIIN:00-938-0431

MSDS Number: BJSGZ === Responsible Party ===

Company Name: TEMPIL DIV., BIG THREE INDUSTRIES INC.

Address:2901 HAMILTON BLVD.

City:SOUTH PLAINFIELD

State:NJ ZIP:07080 Count ry:US

Info Phone Num:201-757-8300

Emergency Phone Num:201-757-8300

CAGE:MO144

=== Contractor Identification ===

Company Name: BIG THREE INDUSTRIES INC, TEMPIL DIV

Address:2901 HAMILTON BLVD Box:City:SOUTH PLAINFIELD

State:NJ

ZIP:07080-2519

Country:US

Phone:908-757-8300

CAGE:82682

Company Name: TEMPIL DIV., BIG THREE INDUSTRIES INC.

Address:2901 HAMILTON BLVD. Box:City:SOUTH PLAINFIELD

State:NJ ZIP:07080 Country:US

Phone:201-757-8300

CAGE:MO144

====== Composition/Information on Ingredients

=========
Ingred Name:FUSEABLE ORGANIC OR INORGANIC COMPOUND - (MFR REFERS TO A "SUPPLEMENT SHEET". SEE SUPP DATA) Fraction by Wt: 90-94% Other REC Limits:NONE SPECIFIED
Ingred Name:CELLULOSE OR SHELLAC BINDER Fraction by Wt: 5-10% Other REC Limits:NONE SPECIFIED
========== Hazards Identification ============
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY BE IRRIT ATION TO BODY TISSUES. MAY EMIT TOXIC FUMES IF HEATED. Explanation of Carcinogenicity:MFR STATES THAT TEMPILSTIKS CONTAIN NO LEAD, MERCURY OR OTHER CARCINOGEN. Effects of Overexposure:EYE:IRRITATION. SKIN:IRRITATION. INHALED:RESPIRATORY IRRITATION, POSSIBLE TOXICITY. INGESTED:(UNLIKELY EXPOSURE), G/I IRRITATION, POSSIBLE TOXICITY. Medical Cond Aggravated by Exposure:NONE GIVEN BY MANUFACTURER (SUPPLIER).
======================================
First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY. INGESTED:DO N OT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER AND GET IMMEDIATE MEDICAL CARE.(DOCTOR MAY ORDER VOMITING.)NOTHING BY MOUTH IF UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE,SEE A DOCTOR.
======================================
Flash Point:>200F,>93C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

======== Accidental Release Measures ===========

Spill Release P

TED BY MFR Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OR OTHER TOXIC FUMES

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE I/A/W ALL FEDERAL, STATE AND LOCAL REGULATIONS. MANUFACTURER MAKES NO SUGGESTIONS AS TO METHOD OF DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Am erica in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.