

FRANK MILLER & SONS, INC. -- GSA TYPE I SWEEPING COMPOUND -- 7930-00-132-5265

=====  
Product Identification  
=====

Product ID:GSA TYPE I SWEEPING COMPOUND

MSDS Date:03/24/1988

FSC:7930

NIIN:00-132-5265

MSDS Number: BJXFX

=== Responsible Party ===

Company Name:FRANK MILLER & SONS, INC.

Address:13831 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60627

Country:US

Info Phone Num:312-468-3500

Emergency

Phone Num:312-468-3500

CAGE:DO285

=== Contractor Identification ===

Company Name:FRANK MILLER & SONS, INC

Address:13831 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60627

Phone:312-468-3500

CAGE:DO285

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM DISTILLATES

CAS:8002-05-9

RTECS #:SE7449000

Fraction by Wt: 10-14%

Other REC Limits:NONE SPECIFIED

Ingred Name:CELLULOSE (PAPER FIBER)

CAS:9004-34-6

RTECS #:FJ5691460

Fraction by Wt: 30-40%

Other REC Li

imits:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3; 9192

Ingred Name:SAND  
CAS:112945-52-5  
RTECS #:VV7310000  
Fraction by Wt: 45-50%  
Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Health Hazards Acute and Chronic:EYE IRRITATION. SKIN IRRITATION OR  
DERMATITIS.

=====  
First Aid Measures  
=====

First Aid:RINSE EYE WITH COPIOUS AMOUNTS OF W  
ATER, SEEK PHYSICIAN IF  
NECESSARY. WASH SKIN WITH SOAP AND WATER.

=====  
Fire Fighting Measures  
=====

Flash Point:NA  
Autoignition Temp:Autoignition Temp Text:>250F  
Extinguishing Media:NORMAL AGENTS FOR EXTINGUISHING WOOD FIRES-WATER  
SPRAY, CARBON DIOXIDE, DRY CHEMICAL.  
Fire Fighting Procedures:MATERIAL WILL SUPPORT COMBUSTION. MAY BE  
DRENCHED WITH WATER TO REDUCE FIRE HAZARD. SPREAD MATERIAL OUT AND  
BE SURE FIRE IS EXTINGUISHED.  
Unusual Fire/Exp  
losion Hazard:MATERIAL MAY SMOLDER AFTER IT IS INVOLVED  
IN A FIRE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SWEEP UP MATERIAL AND RETURN TO CONTAINER OR  
DISCARD.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP OUT OF THE REACH OF CHILDREN.  
KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE IN A COOL, DRY PLACE.  
USE NORMAL GOOD HOUSEKEEPING PRACTICES.  
Other Precautions:READ

LABEL CAUTIONS AND DIRECTIONS BEFORE USE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USUALLY NOT REQUIRED.  
Ventilation:FRESH AIR.  
Protective Gloves:RECOMMENDED:PETROLEUM SENSITIVE PERSONS.  
Eye Protection:GENERALLY NOT REQUIRED.  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

Spec Gravity:5.20#/GAL  
Solubility in Water:INSOLUBLE  
Appearance and Odor:BROWN TO TAN GRANULAR MATERIAL, SLIGHT PETROLEU  
M  
ODOR

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS.  
Stability Condition to Avoid:IGNITION SOURCES.  
Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE IF  
BURNED.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:MATERIAL MAY BE DUMPED, BUT FOLLOW LOCAL  
POLLUTION ORDINANCES.

Disclaimer (provided with this information by the compiling agenci  
es):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.