

BAKER SEALANTS & COATINGS COMPANY -- TT-V-71H, FLOOR AND TRIM VARNISH --
8010-00-165-4420

===== Product Identification =====

Product ID:TT-V-71H, FLOOR AND TRIM VARNISH
MSDS Date:04/19/1989
FSC:8010
NIIN:00-165-4420
MSDS Number: BJXHC
=== Responsible Party ===
Company Name:BAKER SEALANTS & COATINGS COMPANY
Address:234 SUYDAM AVENUE
Box:B
City:JERSEY CITY
State:NJ
ZIP:07304
Country:US
Info Phone Number:201-333-6986
Emergency Phone Num:201-333-6986
CAGE:FO833
=== Contractor Identification ===
Company Name:BAKER SEALANTS & COATINGS CO., INC.
Address:234 SUYDAM AVENUE
Box:B
City:JERSEY CITY
State:NJ
ZIP:07304-3306
Phone:(201) 333-6986
CAGE:FO833
Company Name:BAKER SEALANTS AND COATINGS CO
Address:234 SUYDAM AVE
Box:City:JERSEY CITY
State:NJ
ZIP:07304-3306
Country:US
Phone:201-333-6986
CAGE:34094
Company Name:STEVEN INDUSTRIES
Address:39 AVENUE C
Box:8
City:BAYONNE
State:NJ
ZIP:07002-3417
Count

ry:US
Phone:201-437-6501
CAGE:33150

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL SPIRITS, EXEMPT
CAS:64742-88-7
Fraction by Wt: 54%
Other REC Limits:NONE SPECIFIED
OSHA PEL:500 PPM
ACGIH TLV:125 PPM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:INHALATION:IN EXTREME
CASES,UNCONSCIOUSNESS AND DEATH MAY OCCUR.INGESTION:INGESTION OF

PRODUCT MAY RESULT IN VOMITING.ASPIRATION OF VOMITUS INTO THE LUNGS
MUST BE AVOIDED AS EVEN SMALL QUANTITIES MAY RESULT IN ASPIRATION
PNEUMONITIS WHICH MAY BE EVIDENCED BY COUGHING,LABORED BREATHING
AND CYANOSIS.IN SEVERE CASES:DEATH

Effects of Overexposure:EYES:HIGH CONCENTRATIONS MAY BE
IRRITATING.SKIN:SLIGHTLY IRRITATING.PROLONGED EXPO MAY CAUSE
DEFATTING/DRYING OF SKIN,LEADING TO
IRRITATION/DERMATITIS.INHALE:HIGH CONCENTRATIONS MAY BE IRRIT TO
NOSE,R ESPIRATORY

TRACT AND MAY CAUSE CENTRAL NERVOUS SYSTEM
DEPRESSION,EVIDENCED BY GIDDINESS HEADACHE,DIZZINESS AND NAUSEA.

Medical Cond Aggravated by Exposure:PREEXISTING EYE, SKIN AND
RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS
PRODUCT.

=====
First Aid Measures
=====

First Aid:EYE:FLUSH W/WATER FOR 15 MIN WHILE HOLD EYELIDS OPEN.GEN MED
ATTN.SKIN:FLUSH W/WATER.REMOVE CONTAMINATED CLOTHES/SHOES.WASH
W/SOAP/WATER.DO NOT REUSE CLOTHES/SHO
ES UNTIL CLEANED.IF IRRIT
PERSISTS,GET MED ATTN.INHALE:REMOVE TO FRESH AIR/PROVIDE OXYGEN IF
BREATHING DIFFICULT.GIVE CPR IF NOT BREATHING.GET MED
AID.INGESTION:DO NOT INDUCE VOMIT.IF VOMIT OCCURS
SPONTANEOUSLY,KEEP HEAD BELOW HIPS.*

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:105F/41C
Lower Limits:1
Upper Limits:6
Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
Fire Fighting Procedures:DO NOT ENT

ER SPACE W/OUT FULL BUNKER

GEAR,INCLUDE POSITIVE PRESS NIOSH APPROVE SCBA.COOL FIRE EXPOSE
CONTAINER W/H2O.DO NOT USE DIRECT STRM OF H2O ON POOL FIRES

Unusual Fire/Explosion Hazard:CONTAINER EXPOSED TO HIGH HEAT FROM FIRE
SHOULD BE COOLED W/WATER TO PREVENT VAPOR PRESS BUILD-UP.COOL
CONTAINER AREAS EXPOSED TO DIR FLAME W/LARGE QUANT WATER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF IGNIT.WEAR APPROPRIATE
RE

SPIRATOR/PROTECT CLOTH.SHUT OFF SOURCE IF

SAFE.DIKE/CONTAIN.REMOVE W/VACUUM TRUCKS/PUMP TO STORAGE/SALVAGE
VESSEL.SOAK UP W/ABSORBENT.PLACE IN NON-LEAK CONTA INER/SEALED
TIGHTLY FOR DISPOSE.FLUSH AREA W/WATER

===== Handling and Storage =====

Handling and Storage Precautions:THIS PRODUCT IS CLASSIFIED AS AN

OIL.SPILLS INTO SURFACE WATERS,AIR OR LAND MUST BE REPORTED TO THE
NATIONAL RESPONSE CENTER 1-800-424-8802.

Other Precautions:VAPORS MA

Y ACCUMULATE/TRAVEL TO IGNIT SOURCES DISTANT

FROM THE HANDLING SITE.KEEP CONTAINERS CLOSED WHEN NOT IN USE.DO
NOT CUT,DRILL,GRIND,WELD,ETC.ON/NEAR CONTAINERS.SURFACES THAT ARE
SUFFICIENTLY HO T MAY IGNIT PRODUCT IN ABSENCE OF SPARK.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE DOES EXCEED OCCUPATIONAL EXPOSURE
LIMITS,USE A NIOSH APPROVED RESPIRATOR AS REQUIRED TO PREVENT
OVEREXPOSURE.USE EITHER AN ATMOSPHERE SUPPLYIN

G RESPIRATOR OR AN

AIR PURIFYING RESPIRATOR FO R ORGANIC VAPORS.

Ventilation:USE EXPLOSION-PROOF VENTILATION AS REQUIRED TO CONTROL
VAPOR CONCENTRATIONS WITHIN SUGGESTED PEL/TLV LIMITATIONS.

Protective Gloves:WEAR CHEMICAL RESISTANT GLOVES

Eye Protection:WEAR SAFETY GLASSES OR GOGGLES

Other Protective Equipment:SAFETY SHOWER, EYE BATH AND WASHING
FACILITIES SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP/WATER BEFORE
EATING,DRINKING,SMOKING OR USING TOILET FACILITIES.

NO SMOKING WHERE
MATERIAL IS USED/STORED.

Supplemental Safety and Health

*NOTE TO DOCTOR:MORE THAN 2.0 ML PER KG IS INGESTED AND VOMITING HAS NOT OCCURED,EMESIS SHOULD BE INDUCED W/SUPERVISION.KEEP VICTIM HEAD BELOW HIP TO PREVENT ASPIRATION.IF SYMPTOMS AS LOSS OF GAG REFL EX,CONVULSIONS/UNCONSCIOUSNESS OCCUR BEFORE EMESIS,GASTRIC LAVAGE USING A CUFFED ENDOTRACHEAL TUBE SHOULD BE CONSIDERED.

===== Physical/Chemical Properties =====

HCC:F4

Boiling

Pt:B.P. Text:323 TO 390F

Vapor Pres:0.1 PSI

Vapor Density:HEAVIER

Spec Gravity:.874

Evaporation Rate & Reference:SLOWER THAN ETHER

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS LIQUID CHLORINE, CONCENTRATED OXYGEN, SODIUM OR CALCIUM HYPOCHLORITE.

Stability Condition to Avoid:AVOID HEAT, FLAME

Hazardous Decomposition Products:CARBON MONOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS DURING COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:SEAL CONTAINERS,LABEL PROPERLY AND DISPATCH TO APPROVED WASTE DISPOSAL FACILITY.ASSURE COMPLIANCE WITH ALL LOCAL,STATE AND FEDERAL REGULATIONS.IF THIS PRODUCT BECOMES A WASTE MATERIAL,IT WOULD BE IGNI TABLE HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The U

nited States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.