

HERNON MANUFACTURING, INC. -- ANAEROBIC ADHESIVE 824 -- 8030-00-181-7603

=====  
Product Identification  
=====

Product ID:ANAEROBIC ADHESIVE 824

MSDS Date:10/01/1989

FSC:8030

NIIN:00-181-7603

MSDS Number: BJXHS

=== Responsible Party ===

Company Name:HERNON MANUFACTURING, INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208

Country:US

Info Phone Num:718-649-3000

Emergency Phone Num:718-649-

3000

CAGE:DO346

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIALKYTOLUIDINE

Fraction by Wt: < 1%

Other REC Limits:NONE SPECIFIED

Ingred Name:SACCHA

RIN (SARA III)  
CAS:81-07-2  
RTECS #:DE4200000  
Fraction by Wt: 2-3%  
Other REC Limits:NONE SPECIFIED  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

Ingred Name:ORGANIC PEROXIDE  
Fraction by Wt: < 4%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:50 PPM  
ACGIH TLV:50 PPM

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE  
Effects of Overexposure:PROL  
ONGED EXPOSURE TO SKIN MAY CAUSE IRRITATION  
TO A SENSITIVE PERSON.  
Medical Cond Aggravated by Exposure:A SENSITIVE PERSON

=====  
First Aid Measures  
=====

First Aid:SKIN CONTACT: FLUSH WITH WATER. EYE CONTACT:FLUSH WITH WATER.  
INGESTION:DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC  
Flash Point:> 200F/> 93C  
Extinguishing Media:FOAM, DRY CHEMICAL  
Fire Fighti  
ng Procedures:SELF CONTAINED BREATHING APPARATUS AND  
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING  
CHEMICALS.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SOAK UP IN INERT ABSORBENT. STORE IN CLOSED  
CONTAINER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE BELOW 100F AND AVOID PROLONGED  
SKIN CONTACT.  
Other Precautions:

NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NECESSARY  
Ventilation:MECHANICAL (GENERAL): REQUIRED  
Protective Gloves:RUBBER OR PLASTIC RECOMMENDED  
Eye Protection:SAFETY GLASSES RECOMMENDED  
Other Protective Equipment:NONE  
Work Hygienic Practices:AS REQUIRED  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>300F,>149C  
Vapor Pres:5 @ 80F  
Spec Gravity:1.1 @ 80F  
Evaporatio  
n Rate & Reference:POLYMERIZES  
Solubility in Water:LOW  
Appearance and Odor:GREEN LIQUID -ODOR:MILD

=====  
===== Stability and Reactivity Data =====

STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:EXCESSIVE HEAT  
Hazardous Decomposition Products:EXCESSIVE HEAT

=====  
===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR BURY IN ACCORDANCE WITH LOCAL AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information  
by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.