

MASURY COLUMBIA COMPANY -- WAX, FLOOR, WATER-EMULSION TYPE -- 7930-00-205-2870

=====
Product Identification
=====

Product ID:WAX, FLOOR, WATER-EMULSION TYPE

MSDS Date:11/23/1988

FSC:7930

NIIN:00-205-2870

MSDS Number: BJXHZ

=== Responsible Party ===

Company Name:MASURY COLUMBIA COMPANY

Address:1140 EAST 103RD STREET

City:CHICAGO

State:IL

ZIP:60628

Country:US

Info Phone Num:312-468-1288

Emergency Ph

one Num:312-468-1288

Preparer's Name:J. P. GODINEZ

CAGE:03256

=== Contractor Identification ===

Company Name:MASURY COLUMBIA COMPANY

Address:1140 EAST 103RD STREET

Box:City:CHICAGO

State:IL

ZIP:60628

Country:US

Phone:312-468-1288

CAGE:03256

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 81%

Other REC Limits:NONE SPECIFIED

Ingred Name:POLYESTER RESIN

Fraction by Wt: 3.0%

Other REC Limits:NONE SPECIFIED

Ing

red Name:POLYETHYLENE WAX
CAS:68441-17-8
Fraction by Wt: 12.2%
Other REC Limits:NONE SPECIFIED

Ingred Name:TALL OIL FATTY ACID
CAS:8002-26-4
Fraction by Wt: 0.7%
Other REC Limits:NONE SPECIFIED

Ingred Name:2-PHENYLPHENOL (SARA III)
CAS:90-43-7
RTECS #:DV5775000
Fraction by Wt: 0.03%
Other REC Limits:NONE SPECIFIED

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL
CAS:128-37-0
RTECS #:GO7875000
Fraction by Wt: 0.03%
Other REC Limits:NONE SPECIFIED
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3; 9192

Ingred Name:
ZINC OCTOATE
Fraction by Wt: 0.1%
Other REC Limits:NONE SPECIFIED

Ingred Name:2-DIETHYLAMINOETHANOL
CAS:100-37-8
RTECS #:KK5075000
Fraction by Wt: 1.3%
Other REC Limits:10 PPM TLV
OSHA PEL:S, 10 PPM
ACGIH TLV:S, 10 PPM; 9192

Ingred Name:TRIBUTOXYETHYL PHOSPHATE
CAS:78-51-3
RTECS #:KJ9800000
Fraction by Wt: 0.3%
Other REC Limits:NONE SPECIFIED

Ingred Name:AMMONIUM HYDROXIDE (SARA III)
CAS:1336-21-6
RTECS #:BQ9625000
Fraction by Wt: 0.6%
Other REC Limits:25 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:

1000 LBS

=====
Hazards Identification
=====

Health Hazards Acute and Chronic:SKIN AND EYES: POSSIBLE IRRITATION.
INGESTION: POSSIBLE NAUSEA.

=====
First Aid Measures
=====

First Aid:SKIN AND EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES, CALL
PHYSICIAN IF IRRITATION PERSISTS. INGESTION; GIVE MILK OR WATER TO
DRINK AND CALL PHYSICIAN.

=====
Fire Fighting Measures
=====

Flas
h Point:NONE
Extinguishing Media:WATER, FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:FLOOR MAY BE SLIPPERY, USE CAUTION TO AVOID
FALLS. FLUSH AREA WITH WATER AND TAKE UP WITH WET VACUUM, FLUSH AND
TAKE UP AGAIN.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURES ABOVE
120F OR BELOW 35F.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE REQUIRED.
Ventilation:NORMAL VENTILATION.
Protective Gloves:OPTIONAL.
Eye Protection:OPTIONAL.
Other Protective Equipment:NONE REQUIRED.
Work Hygienic Practices:USE NORMAL INDUSTRIAL HYGIENE PRACTICES. KEEP
OUT OF REACH OF CHILDREN.
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:N1
Boiling Pt:B.P. Text:212F,100C
Melt

/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:20

Spec Gravity:1.01

pH:9.-9.7

Solubility in Water:SOLUBLE

Appearance and Odor:OFF-WHITE TO TAN MILKY EMULSION, WAXY ODOR

Percent Volatiles by Volume:84

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW ALL FEDERAL, STATE AND LOCAL REGULATIONS.

MAY BE SOLIDIFIED AND LANDFILLED OR USED I

N SUPPLEMENTAL FUELS

PROGRAM.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this infor

mation to their

particular situation.