View NSN Online: https://aerobasegroup.kr/nsn/7930-00-249-8036

Product ID:F-109 GEN PUR DETERGENT (LIGHT TO MED DUTY)

MSDS Date:09/18/1990

FSC:7930

NIIN:00-249-8036 MSDS Number: BJXJV === Responsible Party ===

Company Name: JEM SALES, INC. Address: 430 LAVENDER DRIVE

City:ROME State:GA ZIP:30161 Country:US

Info Phone Num:800-424-9300

Emergency P

hone Num:800-424-9300

Preparer's Name: R. BLAIR WARNER

CAGE:0AD77

=== Contractor Identification ===

Company Name: JEM SALES INC INCHEMCO DIV

Address:430 LAVENDER DR

Box:City:ROME

State:GA

ZIP:30165-2262

Country:US

Phone:706-232-1709

CAGE:0AZD7

Company Name: JEM SALES, INC. Address: 430 LAVENDER DRIVE

City:ROME State:GA ZIP:30165 Country:US

Phone:706-232-1709

CAGE:0AD77

====== Composition/Information on Ingredients ========

Ingred Name: NON-HAZARDOUS INGREDIENTS

Other REC Limits: NONE

========== Hazards Identification ============
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Effects of Overexposure:CAN BE IRRITATING UPON EYE CONTACT. PROLONGED CONTACT CAN CAUSE DEFATTING OF SKIN.
======================================
First Aid:EYES: FLUSH WITH WATER FOR 15 MIN. IF IRRITATION PERSISTS GET MEDICAL AID. SKIN: FLUSH WITH WATER-USE EMOLLIENT CREAM. INGESTION: DRINK FRUIT JUICE.
======= Fire Fighting Measures ==============
Flash Point:NONE Extinguishing Media:SUITABLE FOR SURROUNDING FIRE Fire Fighting Procedures:AVOID EYE CONTACT. Unusual Fire/Explosion Hazard:MAY GENERATE MODERATE FOAM WITH HIGH PRESSURE WATER. MODERATELY ALKALINE MATERIAL.
========= Accidental Release Measures ==========
Spill Release Procedures:SMALL SPILLS: FLUSH TO DRAIN WITH LARGE AMOUNTS OF WATER. LARGE SPILLS: SHOVEL TO CLEAN CONTAINER FOR DISPOSAL.
=========== Handling and Storage ==============
Handling and Storage Precautions:AVOID EYE CONTACT, IF SKIN CONTACT FLUSH WITH WATER AS SOON AS POSSIBLE. Other Precautions:STORE IN A DRY LOCATION. AVOID BREATHING DUST.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NECESSARY. Ventilation:LOCAL EXHAUST DESIRABLE, MECHANICAL DESIRABLE. Protective Gloves:RUBBER OR PLASTIC Eye Protection:GOGGLES Other Protective Equipment:RU

SPECIFIED

Stability Indicator/Materials to Avoid:YES STRONG ACIDS

======= Disposal Considerations ===========

Waste Disposal Met

BBER APRON DESIRABLE

hods:MODERATELY ALKALINE MATERIAL PH=10.5 WITH SURFACTANT. NEUTRALIZE WITH MILD ACID TO PH=9 BEFORE FLUSHING TO SEWER. FOLLOW GOVERNMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing thi

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.