

EDWARD LOWE INDUSTRIES, INC. -- ALL PURPOSE ABSORBENT -- 7930-00-269-1272

===== Product Identification =====

Product ID:ALL PURPOSE ABSORBENT

MSDS Date:10/18/1989

FSC:7930

NIIN:00-269-1272

MSDS Number: BJXKZ

=== Responsible Party ===

Company Name:EDWARD LOWE INDUSTRIES, INC.

Address:RIVER GLEN PLAZA, 348 S. COLUMBIA ST.

City:SOUTH BEND

State:IN

ZIP:46624

Country:US

Info Phone Num:219-234-8191

Eme

Agency Phone Num:219-236-8051

Preparer's Name:C. C. NELSON

CAGE:EDWAR

=== Contractor Identification ===

Company Name:EDWARD LOWE INDUSTRIES, INC.

Address:RIVER GLEN PLAZA, 348 S. COLUMBIA ST.

City:SOUTH BEND

State:IN

ZIP:46624

Country:US

Phone:219-234-8191

CAGE:EDWAR

===== Composition/Information on Ingredients =====

Ingred Name:SILICA, CRYSTALLINE - CRISTOBALITE

CAS:14464-46-1

RTECS #:VV7325000

Other REC Limits:NOT SPECIFIED

OSHA PEL:SEE TABLE Z3

ACGIH TLV:0.05 MG/M3 RDUST92

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:UNKNOWN IARC:YES

Health Hazards Acute and Chronic:INHALATION: SHORTNESS OF BREATH,
IRRITATING TO MUCOUS MEMBRANES AND RESPIRATORY TRACT. LONG TERM
EXPOSURE TO EXCESSIVE CONCENTRATIONS OF DUST FROM PRODUCTS
CONTAINING CRYSTALLINE SILICA MAY CAUSE LUNG DAMAGE (SILICOSIS).
MAY CAUSE DRYNESS OF SKIN.

Explanation of Carcinogenicity:CRYSTALLINE SILICA IS CLASSIFIED BY IARC
AS

"2A-PROBABLY CARCINOGENIC TO HUMANS."

Medical Cond Aggravated by Exposure:PERSONNEL SHOULD NOT BE ALLOWED TO
EXCEED THE PERMISSIBLE EXPOSURE LIMIT (PEL) OF 0.15 MG/M3 8 HR TIME
WEIGHTED AVERAGE (TWA) MEASURED AS THE RESPIRABLE CRYSTALLINE
SILICA FRACTION.

=====
First Aid Measures
=====

First Aid:EYE CONTACT: FLUSH WITH COPIOUS AMOUNTS OF WATER. SKIN: WASH
WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: IN
CASE OF SIGNI
FICANT AMOUNTS, INDUCE VOMITING TO PURGE.

=====
Fire Fighting Measures
=====

Flash Point:NONE

Lower Limits:NONE

Upper Limits:NONE

Extinguishing Media:NONE REQUIRED.

Fire Fighting Procedures:NONE REQUIRED.

Unusual Fire/Explosion Hazard:NONE.

=====
Accidental Release Measures
=====

Spill Release Procedures:SWEEP UP.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN DRY AR

EA.

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:GENERAL NIOSH APPROVED DUST RESPIRATOR IF WORKING WITH LARGE QUANTITIES.

Ventilation:NONE REQUIRED OTHER THAN NORMAL.

Protective Gloves:NONE REQUIRED

Eye Protection:MINIMUM-SAFETY GLASSES

Other Protective Equipment:NONE

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GR

AY TO TAN, FLAT MUSTY ODOR.

Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:UNDER UNCOMMONLY DRY CONDITIONS SOME TEMPERATURE BUILD-UP MAY OCCUR WITH CERTAIN SOLVENTS AND VEGETABLE OILS.

Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular

situation.