View NSN Online: https://aerobasegroup.kr/nsn/8010-00-537-6903

SHERWIN-WILLIAMS COMPANY -- TINTING COLOR, ORANGE -- 8010-00-537-6903

Product ID:TINTING COLOR, ORANGE MSDS Date:04/04/1988 FSC:8010 NIIN:00-537-6903 MSDS Number: BJXML === Responsible Party === Company Name: SHERWIN-WILLIAMS COMPANY Address:101 PROSPECT AVE N W City:CLEVELAND State:OH ZIP:44115-1042 Country:US Info Phone Num:216-566-2902 **Emergency Phone Num:216-5** 66-2917 CAGE:54636 === Contractor Identification === Company Name: SHERWIN-WILLIAMS CO THE Address:101 PROSPECT AVE NW Box:City:CLEVELAND State:OH ZIP:44115-1042 Country:US Phone:800-251-2486/216-566-2242 CAGE:54636

Ingred Name:HEXYLENE GLYCOL CAS:107-41-5 RTECS #:SA0810000 Fraction by Wt: 1-60% Other REC Limits:NONE SPECIFIED OSHA PEL:C 25 PPM ACGIH TLV:C 25 PPM; 9192

Ingred Name:CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 10% Other REC Limits:NONE SPECIFIED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9192

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:IRRITATION OF EYES, SKIN & UPPER RESPIRATORY SYSTEM. IN A CONFINED AREA VAPORS IN HIGH CONCENTRATION MAY CAUSE HEADACHE, NAUSEA OR DIZZINESS. Explanation of Carcinogenicity:NO INGRE DIENT IN THIS PRODUCT IS AN
IARC, NTP OR OSHA LISTED CARCINOGEN.
Effects of Overexposure:REDNESS & ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXPOSURE.
Medical Cond Aggravated by Exposure:NONE GENERALLY RECOGNIZED
======================================
First Aid:INHALED:IF AFFECTED, REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM & QUIET. SKIN:WASH AFFECTED AREA THOROUGHLY WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LA UNDER BEFORE RE-USE. EYES:FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15MINUTES. GET MEDICAL ATTENTION.
======================================
Flash Point Method:PMCC Flash Point:>199 F/>93 C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT INCLUDING SCBA. FOG NOZZLES PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP/AUTO-IGNITE/EXPLOSION Unusual Fire/Explos ion Hazard:CLOSED CONTAINERS MAY EXPLODE (DUE TO THE BUILD-UP OF PRESSURE) WHEN EXPOSED TO EXTREME HEAT.
======================================
Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. VENTILATE & REMOVE WITH INERT ABSORBENT.
======================================
Handling and Storage Precautions: KEEP CONTAINER CLOSED WHEN NOT IN USE. TRANSFER ONLY TO APPROVED CONTAINERS WITH COMPLETE & APPROPRIATE LABE

LS. DO NOT TAKE INTERNALLY. Other Precautions: KEEP OUT OF THE REACH OF CHILDREN. USE ONLY WITH ADEQUATE VENTILATION. AVOID BREATHING VAPOR & SPRAY MIST. AVOID CONTACT WITH SKIN & EYES. WASH HANDS AFTER USING.

Respiratory Protection: IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION. WEAR PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/MSHA FOR PROTECTION

AGAINST MATERIAL.

Ventilation:LOCAL EXHAUST PREFERABLE. GENERAL ACCEPTABLE IF EXPOSURE TO MATERIAL IS MAINTAINED BELOW APPLICABLE EXPOSURE LIMITS Protective Gloves:WEAR GLOVES RECOMMENDED BY SUPPLIER Eye Protection:SAFETY GLASSES W/UNPERFORATED SIDESHIELD Work Hygienic Practices:WASH HANDS AFTER USING. Supplemental Safety and Health

Boiling Pt:B.P. Text:386F,197C Vapor Density:> THAN AIR Evaporation Rate & amp; Reference:S LOWER THAN ETHER Percent Volatiles by Volume:2-73

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:BY FIRE:CARBON DIOXIDE & CARBON MONOXIDE.

Waste Disposal Methods:WASTE IS NOT HAZARDOUS AS DEFINED UNDER RESOURCES CONSERVATION & RECOVERY ACT (RCRA) 40 CFR 261. INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CO NTAINER. DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS REGARDING POLLUTION

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to v

erify and assume responsibility for the suitability of this information to their particular situation.