

AMERICAN BRAIDING AND MFG CORP -- 340, 340BIL, MIL-P-24377A, PACKING MATERIAL --  
5330-00-618-3222

===== Product Identification =====

Product ID:340, 340BIL, MIL-P-24377A, PACKING MATERIAL

MSDS Date:01/03/1991

FSC:5330

NIIN:00-618-3222

MSDS Number: BJXNB

=== Responsible Party ===

Company Name:AMERICAN BRAIDING AND MFG CORP

Address:247 OLD TAVERN ROAD

Box:397

City:HOWELL

State:NJ

ZIP:07731

Country:U

S

Info Phone Num:201-591-0725

Emergency Phone Num:908-938-6333

CAGE:4R345

=== Contractor Identification ===

Company Name:AMERICAN BRAIDING AND MFG CORP

Address:247 OLD TAVERN ROAD

Box:City:HOWELL

State:NJ

ZIP:07731

Country:US

Phone:732-938-6333 ...FAX 6377

CAGE:4R345

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS, CHRYSOTILE

CAS:12001-29-5

RTECS #:CI6478500

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC,A1; 9495

Ingr

ed Name:TEFLON (TETRAFLUORO ETHYLENE POLYMER)

CAS:116-14-3

RTECS #:KX4025000

Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:EXPOSURE TO PTFE FUMES ABOVE 500F CAN CAUSE TEMPORARY FLU LIKE SYMPTOMS

Explanation of Carcinogenicity:CLASSIFIED AS A HUMAN CARCINOGEN BY NTP

AND OSHA AND "1A" BY IARC.

Effects of Overexposure:USUALLY NO IMMEDIATE SYMPTOMS. LONG TERM EXPOSURE TO ASBESTOS CAN CAUSE MESOTHELIOMA (A LUNG DISEASE), LUNG CANCER.

Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY DISEASE MAY BE AGGRAVATED BY EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR IF EXPOSED TO PTFE FUMES.

=====  
===== Fire Fighting Measures =====

=

Flash Point:NONFLAMMABLE

Lower Limits:NONFLAMMABLE

Upper Limits:NONFLAMMABLE

Extinguishing Media:NONFLAMMABLE. USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:USE PROCEDURES SUITABLE FOR SURROUNDING FIRE.

Unusual Fire/Explosion Hazard:SOME OIL MAY WEEP FROM FINISHED PRODUCT.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:NORMAL CLEANUP.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling a

nd Storage =====

Handling and Storage Precautions:AVOID PHYSICAL DAMAGE.  
Other Precautions:AVOID CREATING DUST AND FUMES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELECT APPROPRIATE RESPIRATORY PROTECTION FROM  
TABLE I OF 1910.1001 BASED ON EMPLOYEE EXPOSURE.

Ventilation:GENERAL (MECHANICAL) VENTILATION SHOULD BE ADEQUATE.

Protective Gloves:NOT NORMALLY REQUIRED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NOT  
NORMALLY REQUIRED.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT  
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

ASBESTOS IS BOUND IN PACKING MATERIAL AND SHOULD NOT BE A HAZARD UNLESS  
PRODUCT IS PHYSICALLY DAMAGED.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:1.5

Evaporation Rate &a

mp; Reference:NOT GIVEN

Solubility in Water:INSOLUBLE

Appearance and Odor:WHITE TO GREYISH SHINEY ROPE

Percent Volatiles by Volume:0 %

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS AND ALKALIES

Stability Condition to Avoid:TEMPERATURES ABOVE 600F

Hazardous Decomposition Products:TETRAFLUORETHYLENE FORM 800F,  
HEXAFLUOROPROPYLENE FROM 850F AND CARBONYL FLUORIDE 930F

===== Disposal Considerations =

=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE  
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek com  
petent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.