

PERMAGILE INDUSTRIES INC -- RTVS 16; NO: RS-0016-640000-A; SILICONE -- 5970-00-689-8832
===== Product Identification =====

Product ID:RTVS 16; NO: RS-0016-640000-A; SILICONE

MSDS Date:04/24/1990

FSC:5970

NIIN:00-689-8832

Kit Part:Y

MSDS Number: BJXNL

=== Responsible Party ===

Company Name:PERMAGILE INDUSTRIES INC

Address:101 COMMERCIAL STREET

City:PLAINVIEW

State:NY

ZIP:11803

Country:US

Info Phon

e Num:800-645-7546

Emergency Phone Num:516-349-1100

Preparer's Name:LAWRENCE J DEMAIIO

CAGE:13549

=== Contractor Identification ===

Company Name:ARJAY ELECTRONICS CORP

Address:525 W CHESTER PIKE SUITE 314

Box:City:HAVERTOWN

State:PA

ZIP:19083-4539

Country:US

Phone:215-449-3600

CAGE:64812

Company Name:PERMAGILE INDUSTRIES INC

Address:101 COMMERCIAL STREET

City:PLAINVIEW

State:NY

ZIP:11803

Country:US

Phone:516-349-1100/800-424-9300(CHEMTREC)

CAGE:13549

===== Composition/Information on Ing

redients =====

Ingred Name:POLYSILOXANE

Ingred Name:OTHER COMPONENTS (TYPE NOT SPECIFIED)

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES AND SKIN ON CONTACT.NO OTHER DATA PER MSDS.CHRONIC:NO DATA AVAILABLE,IRRITATION OF EYES AN SKIN ON CONTA

CT.

Explanation of Carcinogenicity:DATA PER MSDS

Effects of Overexposure:INHALATION:PRODUCT NOT VOLATILE. INGESTION:MAY CAUSE NAUSEA, VOMITING, AND DIARRHEA. EYES:CAUSES MILD IRRITATION ON CONTACT. IF HEATED, VAPORS MAY CAUSE TEARS/IRRITATION. SKIN: COMPONENTS ARE UNLIKELY TO BE ABSORBED THROUGH SKIN IN HARMFULCONCENTRATION BUT MAY CAUSE UNCOMFORTNESS OR SLIGHT IRRITATION.

Medical Cond Aggravated by Exposure:PRE-EXISTING EYES AND SKIN DISORDER MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:NONE SPECIFIED BY MANUFACTURER. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:350F,177C

Lower Limits:1.3

Upper Limits:23.0

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:NONE SPECIFIED;FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZA

RDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION; CONTAIN FREE MATERIAL IF POSSIBLE; USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA.KEEP CONTAINERS TIG

HTLY CLOSED WHEN NOT IN USE.PROTECT

CONTAINERS FROM PHYSICAL DAMAGE AND AWAY FROM FLAMES

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONG OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED;USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV.

Ventilation:NORMAL

ROOM VENTILATION RECOMMENDED

Protective Gloves:SYNTHETIC GLOVES SUCH AS NEOPRENE/NITRIL

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

ITEM IS TWO PART KIT. THIS ENTRY DESCRIBES PART A, SILICONE BASE EPOXY. SEE CATALYST UNDER PNI 'B' THIS NSN; KEY1:N1

===== Physical/Chemical Propertie

s =====

HCC:N1

Spec Gravity:1.47

Evaporation Rate & Reference: