

HILLYARD INDUSTRIES INC. -- FINISH, FLOOR, NONBUFFING -- 7930-01-183-8584

=====
Product Identification
=====

Product ID:FINISH, FLOOR, NONBUFFING

MSDS Date:09/17/1990

FSC:7930

NIIN:01-183-8584

MSDS Number: BJXTK

=== Responsible Party ===

Company Name:HILLYARD INDUSTRIES INC.

Address:302 N 4TH ST

City:ST JOSEPH

State:MO

ZIP:64502

Country:US

Info Phone Num:816-233-1321

Emergency Phone Num:816-233-1

321

Preparer's Name:DIR.OF REGULATORY AFFAIRS

CAGE:EO617

=== Contractor Identification ===

Company Name:HILLYARD INDUSTRIES

Address:302 NORTH FOURTH STREET

Box:City:ST JOSEPH

State:MO

ZIP:64501

Country:US

Phone:816-233-1321 (EXT 2303)

CAGE:28745

Company Name:HILLYARD INDUSTRIES

Address:302 N 4TH

Box:909

City:ST JOSEPH

State:MO

ZIP:64502

Country:US

Phone:816-233-1321 EXT 303

CAGE:EO617

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Oth

er REC Limits:NONE SPECIFIED

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:NONE

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:MATERIAL MAY SPATTER IF TEMPERATURES EXCEED BOILING POINT. POLYMER FILM CAN BURN.

=====
===== Accidental Release Measures =====

Spill Release Procedures:PICK UP WITH MOP OR WET VAC AND WASH AWAY WITH WATER.

=====
===== Handling and Storage =====

=====

Handling and Storage Precautions:FREEZING OF PRODUCT MAY RUPTURE CONTAINER. PRODUCT SHELF LIFE IS BEST RETAINED BY STORAGE AT 45-100 F TEMPERATURES.

Other Precautions:WASH THOROUGHLY AFTER HANDLING. KEEP OUT OF REACH OF CHILDREN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.

Ventilation:MECHANICAL: SUGGESTED.

Protective Gloves:NONE REQUIRED.

Eye Protection:NO SPECIAL REQUIREMENTS W/NORMAL USE.

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:211F,99C

Vapor Pres:20.7 @ 68F

Vapor Density:0.9

Spec Gravity:1.02

pH:8

Evaporation Rate & Reference:SLOWER THAN ETHYL ETHER

Solubility in Water:APPRECIABLE

Appearance and Odor:CREAMY, WHITE EMULSION; NON-OBJECTONABLE ODOR.

=====

== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

===== Disposal Considerations =====

Waste Disposal Methods: WASH SMALL QUANTITIES DOWN SEWER W/LG AMT WATER.
KEEP SPILLS & CLEANING RUNOFFS OUT OF MUNICIPAL SEWERS & OPEN WATER
BODIES. PICK UP LARGE SPILLS W/WET VAC OR ABSORB MAT'L.
LANDFILL/INCINERATE SOLIDS. DISPOSE OF LIQUID PER LOCAL, STATE &
FED REGS.

Disclaimer (provided with this information
by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.