

FIRST BRANDS CORP, REGIONAL OFFICE -- STP GAS TREATMENT -- 6850-01-322-5201

=====  
Product Identification  
=====

Product ID:STP GAS TREATMENT

MSDS Date:11/03/1986

FSC:6850

NIIN:01-322-5201

MSDS Number: BJXVP

=== Responsible Party ===

Company Name:FIRST BRANDS CORP, REGIONAL OFFICE

Address:17 EXECUTIVE PARK DR NE SUITE 150

City:ATLANTA

State:GA

ZIP:30329

Country:US

Emergency Phone Num:800-822-4357

Pr

eparer's Name:R. A. OFFERMANN

CAGE:DO273

=== Contractor Identification ===

Company Name:FIRST BRAND CORP., REGIONAL OFFICE

Address:17 EXECUTIVE PARK DR NE SUITE 150

Box:City:ATLANTA

State:GA

ZIP:30329

Country:US

CAGE:0AC35

Company Name:FIRST BRANDS CORP (PHONE:203-728-6194)

Address:88 LONG HILL ST

City:EAST HARTFORD

State:CT

ZIP:06108

Phone:203-731-2300, CHEMTREC 800-424-9300

CAGE:DO273

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STODDARD SOLVENT

CAS:8052-4

1-3  
RTECS #:WJ8925000  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:500 PPM  
ACGIH TLV:100 PPM; 9293

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INGESTION:LITTLE ACUTE TOXICITY.  
ASPIRATION INTO LUNGS MAY OCCUR DURING INGESTION, RESULTING IN LUNG  
DAMAGE. SKIN:IRRITATION, MODERATE TO SEVERE ON PROLONGED CONTACT.  
EYES:MINIMAL  
DISCOMFORT. INHALATION:NOSE AND THROAT IRRITATION.  
RESPIRATORY IRRITATION.  
Effects of Overexposure:INGESTION:NAUSEA AND VOMITING.  
INHALATION:DISCOMFORT IN THE NOSE AND THROAT, AND DISCHARGE FROM  
THE NOSE. COUGH, CHEST DISCOMFORT, PRODUCTION OF SPUTUM, DIFFICULTY  
OF BREATHING, DIZZINESS, WEAKNESS, DIFFICULTY IN WALKING AND COMA.  
LIVER AND KIDNEY DEGENERATIVE LESIONS AND DEPRESSION OF BONE MARROW.  
SKIN:REDDENING.  
Medical Conditions Aggravated by Exposure:DERMATITIS, ASTHMA AND  
INFLAMMATORY  
OR FIBROTIC PULMONARY DISEASE.

===== First Aid Measures =====

First Aid:INGESTION:DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION.  
SKIN:REMOVE CONTAMINATED CLOTHING AND WASH SKIN THOROUGHLY WITH  
SOAP AND WATER. INHALATION:REMOVE FROM EXPOSURE. GENERAL SUPPORTIVE  
MEASURES. SEEK MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH  
PLENTY OF WATER FOR AT LEAST 15 MIN. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:110F,43C  
Extinguishing Media:WATER FOG, FOAM, ALCOHOL FOAM, CARBON DIOXIDE AND  
DRY CHEMICAL.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS FOR  
CONFINED SPACES. COMBUSTIBLE LIQUID.  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT  
AND REMOVE ALL SOURCES OF IGNITION. COLLECT MATERIAL

ERIAL FOR DISPOSAL  
IN A CONTAINER SUITABLE FOR FLAMMABLE WASTE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS SPECIFIED BY  
MANUFACTURER. OBSERVE NORMAL PROCEDURES APPROPRIATE FOR COMBUSTIBLE  
MATERIALS.

Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE. USE NIOSH/MSHA  
APPROVED RESPIRATION EQUIPMENT WITH DUA

L CARTRIDGES FOR PROTECTION

AGAINST ORGANIC VAPOR AND MISTS, WHEN CONDITIONS WARRANT.

Ventilation:GENERAL MECHANICAL VENTILATION IS ADEQUATE FOR NORMAL  
HANDLING.

Protective Gloves:NEOPRENE GLOVES.

Eye Protection:CHEMICAL SAFETY GOGGLES.

Other Protective Equipment:EYE WASH AND SAFETY SHOWER.

Work Hygienic Practices:FOLLOW NORMAL PRACTICES FOR GOOD HYGIENE.

Supplemental Safety and Health

NONE

=====  
Physical/Chemical Properties  
=====

HCC:V6

Vapor Density:>1

Sp

ec Gravity:6.8 LB/GAL

Evaporation Rate & Reference: