

WARREN DISTRIBUTION,INC. -- GOLD BOND DEX II AFT/MERCON -- 9150-00-281-2234

=====  
Product Identification  
=====

Product ID:GOLD BOND DEX II AFT/MERCON

MSDS Date:06/24/1986

FSC:9150

NIIN:00-281-2234

MSDS Number: BJXXP

=== Responsible Party ===

Company Name:WARREN DISTRIBUTION,INC.

Address:727 SOUTH 13TH STREET

City:OMAHA

State:NE

ZIP:68102

Country:US

Info Phone Num:402-341-9397

Emergency Phone Num:4

02-341-9397

Preparer's Name:F.M.PEARSON

CAGE:KO526

=== Contractor Identification ===

Company Name:ALLIED OIL AND CHEMICAL SALES

Address:1275-CHRISTIANSON ROAD

Box:3036

City:YORK

State:PA

ZIP:17402

Country:US

Phone:717-757-4955

CAGE:0GHU6

Company Name:WARREN DISTRIBUTION,INC.

Address:727 SOUTH 13TH STREET

City:OMAHA

State:NE

ZIP:68102

Country:US

Phone:402-341-9397

CAGE:KO526

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LUBRICATING OIL(MIXTURE OF PETROLEUM HYD

ROCARBONS)

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3, AS OIL MIST

ACGIH TLV:5 MG/M3, AS OIL MIST

Ingred Name:ZINC DITHIOPHOSPHATE

Other REC Limits:NONE SPECIFIED

Ingred Name:OTHER COMPONENTS (TYPE NOT SPECIFIED)

Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:NO SIGNIFICANT HEALTH EFFECTS

ARE EXPECTED.MAY CAUSE IRRITATION OF EYES AND SKIN.

Explanation of Carcinogenicity:DATA PER MSDS

Effects of Overexposure:SEE HEALTH HAZARDS DATA.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET

MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.

SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point:320F,160C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:MAY CATCH FIRE AT EXTREME HEAT OR AN EXPLOSION.COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL P

ROTECTION;CONTAIN FREE

MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Neutralizing Agent:NOT APPLICABLE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID

PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective E

quipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

=====  
Physical/Chemical Properties  
=====

HCC:V6

Spec Gravity:0.8822

Viscosity:7.3 CST

Solubility in Wa

ter:NEGLIGIBLE

Appearance and Odor:TYPICAL LUBE OIL,MILD

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND OTHER UNIDENTIFIED COMPONENTS.

=====  
Disposal Considerations  
=====

Waste Disposal Methods:CONSULT LOCAL AUTHORITI

ES.DISPOSAL MUST BE MADE

IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.