

EVEREADY BATTERY CO INC -- EVEREADY BATTERY -- 6135-01-167-7604

=====
Product Identification
=====

Product ID:EVEREADY BATTERY

MSDS Date:03/18/1991

FSC:6135

NIIN:01-167-7604

MSDS Number: BJZYZ

=== Responsible Party ===

Company Name:EVEREADY BATTERY CO INC

Address:CHECKERBOARD SQ

City:ST LOUIS

State:MO

ZIP:63164

Country:US

Info Phone Num:216-835-7368

Emergency Phone Num:216-835-7368

CAGE:83740

===

Contractor Identification ===

Company Name:CONAX FLORIDA CORP

Address:2801 75TH STREET N

Box:City:SAINT PETERSBURG

State:FL

ZIP:33710-2936

Country:US

Phone:813-345-8000

CAGE:62323

Company Name:EVEREADY BATTERY CO INC

Address:CHECKERBOARD SQ

Box:City:ST LOUIS

State:MO

ZIP:63164

Country:US

Phone:216-835-7368

CAGE:83740

=====
Composition/Information on Ingredients
=====

Ingred Name:POTASSIUM HYDROXIDE (SARA III)

CAS:1310-58-3

RTECS #:TT2100000

Fraction by Wt: 0-12%

Other REC L

imits:NONE SPECIFIED
OSHA PEL:C, 2 MG/M3
ACGIH TLV:C 2 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM HYDROXIDE (SARA III)
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: 0-12%
Other REC Limits:NONE SPECIFIED
OSHA PEL:2 MG/M3
ACGIH TLV:C 2 MG/M3; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:MERCURY (SARA III)
CAS:7439-97-6
RTECS #:OV4550000
Fraction by Wt: 0.1-0.9%
Other REC Limits:NONE SPECIFIED
OSHA PEL:S, C, 0.1 MG/M3
ACGIH TLV:S, 0.05 MG/M3; 9192
E
PA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:ZINC (SARA III)
CAS:7440-66-6
RTECS #:ZG8600000
Fraction by Wt: 4-10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:10 MG ZNO/M3
ACGIH TLV:10 MG ZNO/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:MANGANESE DIOXIDE
CAS:1313-13-9
RTECS #:OP0350000
Fraction by Wt: 15-30%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG MN/M3 CEILING
ACGIH TLV:5 MG MN/M3

=====
===== Hazards Identification =====

Routes of Entry: Inh

alation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EXPOSURE TO MERCURY-ACUTE:

SKIN:IRRITATION, ANURIA. EYE:IRRITATION, CORNEAL INJURY OR BURNS.

INGESTION:IMMEDIATE NECROSIS IN MOUTH, THROAT, ESOPHAGUS & STOMACH.

DEATH MAY OCCURE. INHALATION:DYSPNEA, COUGH, FEVER, NAUSEA & VOMITING, DIARRHEA, STOMATITIS, SALIVATION & METALLIC TASTE.

CHRONIC: CNS DISTURBANCES.

Explanation of Carcinogenicity:MERCURY, ZINC AND MANGANESE ARE NOT

LISTED BY IARC, NTP, OR OSHA AS CARCINOGENS.

Effects of Overexposure:TREMORS, CONVULSIONS & OTHER CNS DISTURBANCES, PNEUMONITIS, CHEST PAINS, DYSPNEA, COUGHING, STOMATITIS, GINGIVITIS AND LOOSENING OF TEETH, SALIVATION, LOSS OF MEMORY, METALLIC TASTE, DIZZINESS, CLUMSINESS, SLURRED SPEECH, DIARRHEA, PAIN & NUMBNESS IN EXTREMITIES, NEPHRITIS, ANXIETY, HEADACHE, WEIGHT LOSS, AND INSOMNIA.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF ALL

COHOLISM, CHRONIC KIDNEY DISEASE OR KNOWN ALLERGY TO MERCURY MAY BE AT INCREASED RISK FROM EXPOSURE TO MERCURY IF THE BATTERY IS RUPTURED.

===== First Aid Measures =====

First Aid:IF EXPOSED TO RUPTURED BATTERY-INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING GIVE CPR/OXYGEN. GET MEDICAL ATTENTION. EYE: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH SKIN WITH PLENTY OF SOAP & WATER.

INGESTION: GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS OF

MERCURY. CELL MAY
EXPLODE IN FIRE.

===== Accidental Release Measures =====

Spill Release Procedures: PICK UP ALL BATTERIES. FOR A SMALL SPILL OF A
RUPTURED BATTERY: COLLECT THE DUST WITH A VACUUM CLEANER AND SAVE
FOR DISPOSAL. WASH THE AREA.

Neutralizing Agent: NONE

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED
AREA AWAY FROM HEAT. STACK CARTONS NO MORE THAN
4 LAYERS HIGH ON A

PALLET AND NO MORE THAN 3 PALLETS HIGH.

Other Precautions: DO NOT SEAL BATTERIES IN AIR TIGHT OR WATERTIGHT
CONTAINERS OR COMPARTMENTS. DO NOT RUPTURE OR THROW BATTERIES IN
FIRE. DO NOT RECHARGE BATTERIES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NORMALLY NOT REQUIRED. WEAR MASK WHEN HANDLING
DUST FROM RUPTURED BATTERY.

Ventilation: GENERAL/LOCAL EXHAUST VENTILATION.

Protective Gloves: RUBBER, IF HANDLING RUPTUR
ED BATTERY.

Eye Protection: NONE

Other Protective Equipment: NONE REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

THERE ARE NO HEALTH HAZARDS IN HANDLING BATTERIES UNLESS THE BATTERIES
ARE RUPTURED. WHEN HANDLING RUPTURED BATTERY DO NOT GET ON SKIN, IN
EYES OR ON CLOTHING. DO NOT BREATHE VAPORS.

===== Physical/Chemical Properties =====

HCC: N1

Appearance and Odor: CYLINDRICAL

BATTERY

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG ACIDS AND BASES

Stability Condition to Avoid: HIGH TEMPERATURES

Hazardous Decomposition Products: THERMAL DECOMPOSITION PRODUCTS INCLUDE TOXIC MERCURY VAPORS, MOLTEN AND BURNING FUMES.

===== Disposal Considerations =====

Waste Disposal Methods: DO NOT INCINERATE, BURY IN LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.