

EVERSEAL MANUFACTURING CO, INC. -- OLIVE DRAB CANVAS COAT -- 8030-00-281-2346
===== Product Identification =====

Product ID:OLIVE DRAB CANVAS COAT
MSDS Date:04/06/1987
FSC:8030
NIIN:00-281-2346
MSDS Number: BKBCL
=== Responsible Party ===
Company Name:EVERSEAL MANUFACTURING CO, INC.
Address:475 BROAD AVENUE
City:RIDGFIELD
State:NJ
ZIP:07657
Country:US
Info Phone Num:201-943-4986
Emergency Phone
Num:201-943-4986
CAGE:EO432
=== Contractor Identification ===
Company Name:EVERSEAL MANUFACTURING CO., INC.
CAGE:EO432
Company Name:EVERSEAL MFG CO INC
Address:475 BROAD AVE
Box:City:RIDGFIELD
State:NJ
ZIP:07657-2329
Country:US
Phone:201-943-4986
CAGE:72988

===== Composition/Information on Ingredients =====

Ingred Name:CHLORINATED PARAFFINS
CAS:61788-76-9
Fraction by Wt: 19%
Other REC Limits:NONE SPECIFIED

Ingred Name:ALKYD RESIN
Fraction by Wt: 2%
Other REC Limits:NONE SPE

CIFIED

Ingred Name:IRON OXIDE

CAS:1332-37-2

RTECS #:NO7380000

Fraction by Wt: 9%

Other REC Limits:10 MG/M3 AS DUST

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 2%

Other REC Limits:15 MG/M3 AS DUST

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 44%

Other REC Limits:10 MG/M3

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:CARBON TETRACHLORIDE (SARA III)

CAS:56-23-5

RTECS #:FG4900000

Fraction by Wt: 0.1%

Other REC Limits:10 PPM

OSHA PEL:10 PPM

ACGIH TLV:S,5PPM/10 STEL,A3 93

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ozone Depleting Chemical:1

Ingred Name:COPPER SOLUTION - AS CU (VP 5)

Fraction by Wt: 0.2%

Other REC Limits:1 MG/M3

Ingred Name:MINERAL SPIRITS (VP 5) (TOXICITY DATA:5 G/KG (ORAL))

Fraction by Wt: 21%

Other REC Limits:120 PPM

==== Hazards Identification =====

Explanation of Carcinoge

nicity:HAS BEEN DETERMINED TO BE A POSSIBLE
CARCINOGEN

Effects of Overexposure:INHALE:DIZZINESS, NAUSEA, POSSIBLE
UNCONSCIOUSNESS. IRRITATION TO SKIN & EYES. LEVELS ABOVE TLV,
CARBON TETRACHLORIDE HAS BEEN DETERMINED TO BE A POSSIBLE
CARCINOGEN & ALSO A CAUSE OF LIVER, KIDNEY & INTESTINAL DAMAGE.
MEASURES SHOULD BE TAKEN TO ENSURE TLV IS NOT ACHIEVED OR
PROTECTION PROVIDED IF THIS IS NOT POSSIBLE

=====
First Aid Measures
=====

Firs

t Aid:INHALATION:REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION
IF NECESSARY. SKIN:WASH WITH SOAP & WATER, APPLY MILD CREAM.
EYES:FLUSH WITH WATER. CALL PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:105 F/41 C

Lower Limits:1

Extinguishing Media:FOAM, CO2, DRY CHEMICAL. WATER IS NOT A SUITABLE
EXTINGUISHING MEDIUM

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTAINED
BREATHING APPARATUS. COMBUSTION MAY YIELD TOXIC OR NO
XIOUS FUMES.

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB SMALL SPILLS ON DRY ABSORPTION
MATERIAL. USE SPARK PROOF SCOOP FOR LARGER SPILLS. ENSURE ADEQUATE
VENTILATION. REMOVE IGNITION SOURCES.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID EXCESSIVE HEAT. KEEP AWAY FROM
ALL IGNITION SOURCES.

Other Precautions:NPCA/HMIS RATING 3,2,0,H

=====
Exposure Control
s/Personal Protection
=====

Respiratory Protection:IF TLV MAY BE ACHIEVED USE FUME-DUST MASK OR
AIR-SUPPLIED HOOD

Ventilation:SUFFICIENT TO ENSURE LEL NOT ACHIEVED

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES

Other Protective Equipment:PROTECT SKIN WITH CLOTHES OR BARRIER CREAM
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:323 TO 390F

Vapor Density:> THAN AIR

Evaporation Rate & Reference:SLOWER

THAN ETHER

Percent Volatiles by Volume:44

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING MATERIALS - EXCESSIVE HEAT.

Hazardous Decomposition Products:HIGH HEAT OR COMBUSTION MAY YIELD
COPPER OXIDES & OTHER NOXIOUS GASES

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS A HAZARDOUS WASTE PER LOCAL &
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.