View NSN Online: https://aerobasegroup.kr/nsn/6810-00-247-0610

AMCO CHEMICAL CORP. -- ZINC CHLORIDE, GRANULAR -- 6810-00-247-0610

Product ID: ZINC CHLORIDE, GRANULAR MSDS Date:01/01/1987 FSC:6810 NIIN:00-247-0610 MSDS Number: BKBWL === Responsible Party === Company Name: AMCO CHEMICAL CORP. Address:3RD CYPRS Box:208 City:OAKLAND State:CA ZIP:94607 Country:US Info Phone Num:804-275-4371 Emergency Phone Num:800-424-9300 (CHEMTRE C) Preparer's Name: HAZMAT DATA BANK BRANCH CAGE:97984 === Contractor Identification === Company Name: AMCO CHEMICAL CORP Address:3RD - CYPRS Box:208 City:OAKLAND State:CA ZIP:94607 Country:US Phone:NOT IN BUSINESS! 911008P505A ??? CAGE:97984 Company Name: MMM SUPPLY INC Address:1734 HAYES AVE Box:City:LONG BEACH State:CA ZIP:90813-1145 Country:US Phone:213-590-8633 CAGE:7X274

======= Composition/Information on Ingredients ==========

Ingred Name:ZINC CHLORIDE (SARA III) CAS:7646-85-7 R TECS #:ZH1400000 Fraction by Wt: >94% OSHA PEL:1 MG/M3/2 STEL ACGIH TLV:1 MG/M3/2STEL FUME93 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

LD50 LC50 Mixture:ORAL-RAT LD50: 350 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. CAUSES EYE IRRITATION. CAUSES SKIN IRRITATIO

N. MATERIAL IS IRRITATING TO MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. CHRONIC EFFECTS: STOMACH PAINS, VOMITING, LUNG IRRITATION, CHESTPAIN AND EDEMA WHICH MAY BE FATAL. Effects of Overexposure:CHRONIC EFFECTS INCLUDE STOMACH IRRITATION,

VOMITING, DIARRHEA.

First Aid:EYES- IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MIN. SKIN- IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUN

TS OF WATER. INHALATION- REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IN CASE OF EXPOSURE, OBTAIN MEDICAL ATTENTION IMMEDIATELY. WASH CONTAMINATED CLOTHING BEFORE REUSE.

Flash Point:NONE

Extinguishing Media:AS APPROPRIATE FOR THE SURROUNDING FIRE. Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND AIR-SUPPLIED RESPIRATOR WHEN FIGHTING FIR ES INVOLVING THIS MATERIAL. Unusual Fire/Explosion Hazard:THIS MATERIAL MAY RELEASE HYDROGEN CHLORIDE GAS UNDER FIRE CONDITIONS.

Spill Release Procedures: VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE. SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AN D HEAVY RUBBER GLOVES. Neutralizing Agent:20% SODIUM BICARB ONATE SOLUTION.

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSE AVOID CONTACT WITH MOISTURE. THIS MATERIAL IS HYDROSCOPIC. Other Precautions: NONE

Respiratory Protection:WEAR APPROPRIATE OSHA/MSHA-APPROVED RESPIRATOR. Ventilation:ADEQUATE TO KEEP VAPORATION CONCENTRATION BELOW TLV. SCRUB AIR BEFORE RECIRCULATION. Protective Gloves:RUBBER /PLASTIC Eye Protection:GOGGLES/SAFETY GLASSES Other Protective Equipment:SAFETY SHOWER AND EYE BATH. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health NONE

HCC:C1 Boiling Pt:B.P. Text:1350F,732C Melt/Freeze Pt:M.P/F.P Text:559F,293C Spec Gravity:2.905 pH:ACID Solubility in Water:APPRECIABLE Appearance and Odor:WHITE, ODORLESS CRYSTALS.

================== Stability and Reactivity Data ==

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Hazardous Decomposition Products:HYDROGEN CHLORIDE.

Waste Disposal Methods: FOLLOW ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS REGARDING DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America i

n no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.