

HATCO CORP -- HATCOL 1278 MIL-L-7808J -- 9150-00-270-4057

===== Product Identification =====

Product ID:HATCOL 1278 MIL-L-7808J

MSDS Date:08/22/1990

FSC:9150

NIIN:00-270-4057

MSDS Number: BKCHQ

=== Responsible Party ===

Company Name:HATCO CORP

Address:KING GEORGE POST ROAD

City:FORDS

State:NJ

ZIP:08863

Country:US

Info Phone Num:201-738-1000

Emergency Phone Num:201-738-3568

CAGE:0H3M4

=== Contract

or Identification ===

Company Name:HATCO CORP

Address:1020 KING GEORGE POST ROAD

Box:City:FORDS

State:NJ

ZIP:08863

Country:US

Phone:908-738-3517

CAGE:0H3M4

===== Composition/Information on Ingredients =====

Ingred Name:MIXED TRIMETHYLOLPROPANE ESTERS

CAS:68130-53-0

Other REC Limits:NONE SPECIFIED

ACGIH TLV:5 MG/M3 (MFR)

Ingred Name:NEOPENTYL GLYCOL/CAPRYLIC/CAPRIC ESTER

CAS:70693-32-2

Other REC Limits:NONE SPECIFIED

ACGIH TLV:5 MG/M3 (MFR)

Ingred Name:TRIMETHYLOLPROPANE EST

ERS, MIXED  
CAS:67762-64-5  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:5 MG/M3 (MFR)

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE AND CHRONIC-EYES/SKIN:MAY BE  
IRRITANT.INHALATION/INGESTION:LOW TO MEDIUM IN TOXICITY.  
Effects of Overexposure:NONE KNOWN  
Medical Cond Aggravated by Exposure:NONE KNOWN

=====  
F  
First Aid Measures  
=====

First Aid:GET MEDICAL ATTENTION IF NEEDED.INHALATION:MOVE TO FRESH  
AIR.EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES.SKIN:WASH WITH  
SOAP AND WATER THOROUGHLY.INGESTION:DO NOT INDUCE VOMITING.IF  
CONSCIOUS,DRINK PLENTY OF WATER.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash Point:>410F,>210C  
Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. USE WATER  
SPRAY TO COOL SURFACE  
OF CONTAINER. WATER MAY CAUSE FROTHING.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. AVOID  
BREATHING FUMES, VAPORS OR MISTS.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEAR APPROPRIATE RESPIRATORY PROTECTION AND  
PROTECTIVE CLOTHING.DIKE OR CONTAIN SPILL.ABSORB WITH INERT  
ABSORBENT MATERIAL.PUT IN CONTAINER.  
CLOSE CONTAINER. PREVENT FROM  
GOING INTO SEWER AND WATERWAYS. NOTIFY PROPER AUTHORITIES.  
Neutralizing Agent:NOT APPLICABLE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORAGE-STORE IN A COOL,DRY PLACE.  
Other Precautions:FOR INDUSTRIAL USE ONLY. DO NOT BREATHE MIST. AVOID  
PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES  
AND SKIN. WASH HANDS BEFORE EATING OR DRINKING.

=====  
Exposure Controls/Person  
=====

al Protection =====

Respiratory Protection:WEAR NIOSH APPROVED ORGANIC VAPOR CARTRIDGE  
RESPIRATOR.

Ventilation:LOCAL & MECHANICAL (GENERAL)

Protective Gloves:NEOPRENE

Eye Protection:SPLASH PROOF CHEMICAL GOGGLES

Other Protective Equipment:EYE WASH STATION. NEOPRENE APRON. LONG  
SLEEVE SHIRT AND PANTS. SAFETY SHOES, HARD HAT.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER CONTACT. AVOID  
INGESTION. PRACTICE GOOD PERSONAL HYGIENE.

Supplemental Safety and Health

=====

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>450F,>232C

Spec Gravity:0.95

Solubility in Water: