View NSN Online: https://aerobasegroup.kr/nsn/9160-00-685-0914

Product ID:DIALA(R) A OIL, 68701, 69701, 68744 MSDS Date:02/23/1993 FSC:9160 NIIN:00-685-0914 MSDS Number: BKJNG === Responsible Party === Company Name: SHELL OIL COMPANY Address: HEALTH, SAFETY AND ENVIRONMENT Box:4320 **City:HOUSTON** State:TX ZIP:77210 Country:US Info Phone Num:713-241-4819 /4141/2252 FAX -6511 Emergency Phone Num:713-473-9461/800-424-9300(CHEMTREC) Preparer's Name: G. A. VAN GELDER CAGE:54527 === Contractor Identification === Company Name: SALATHE OIL CO INC Address:2226 PETERS RD Box:City:HARVEY State:LA ZIP:70058 Country:US Phone:504-366-4542 CAGE:0T5C6 Company Name: SHELL OIL COMPANY Address:Box:2463 City:HOUSTON State:TX ZIP:77210 Country:US Phone:800-231-6950 CAGE:54527 Company Name: TULSTAR PRODUCTS INC Address:1722 S CARSON, SUITE 2907 Box:City:TULSA State:OK Ζ

IP:74119 Country:US Phone:918-587-7878/FAX -3297 (DAVID COOK) CAGE:0F2M5 Company Name:UNIMARK OIL COMPANY (FORMERLY GARD OIL) Address:2727 ROE LANE City:KANSAS CITY State:KS ZIP:66103-1543 Country:US Phone:913-236-5000; FX 913-236-4419 CAGE:3K676

Ingred Name:SOLVENT REFINED, HYDROTREATED MIDDLE DISTILLATE CAS:64742-46-7 RTECS #:JN9379645 Fraction by Wt: 50-100% Other REC Limits:NONE RECOMMENDED

Ingred Name:SEVERELY HYDROTREA TED LIGHT NAPHTHENIC DISTILLATES CAS:64742-53-6 RTECS #:PY8036000 Fraction by Wt: 0-50% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)

**BREATHING & CYANOSIS** 

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:HEALTH EFFECTS BASED ON ESSENTIALLY SIMILAR PRODUCT TESTING:EYES:NON-IRRIT.SKIN:SLIGHTLY IRRIT.PRLON /REPEAT COTNACT RESULT IN VAR DISORDERS(DERM,FOLLICULITIS,OIL ACNE).RELEASE DURING HI PRESSURE USAGE MAY RESULT IN INJECTIN OF OIL INTO SKIN CAUSING LOCAL NECROSIS.INHAL:VAP/MIST MILD IRRIT OF UPPER RESP TRACT.(SUPPLEME) Explanation of Carcinogenicity:PER MSDS:PROD & COMPONENTS ARE NOT CLASSIFIED AS CARCINOGENS BY IARC/NTP/OSHA. Effects of Overexposure:EYE/SKIN/UPPER RESP TRACT IRRITATION. ASPIRATION PNEUMONITIS MAY BE EVIDENCED BY COUGHING, LABORED

(BLUISH SKIN); SEVERE CASES DEATH MAY OCCUR. LOCAL NECROSIS IS EVIDENCE BY DELAY ED ONSET OF PAIN & TISSUE DAMAGE A FEW HOURS FOLLOWING INJECTION. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN & RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOUSRE TO THIS PRODUCT.
======================================
First Aid:EYES:FLUSH W/WATER.SKIN:REMOVE CONTAMIN CLOTH/SHOES.WIPE EXCESS FROM SKIN.FLUSH W/WATER FOLLOWED BY WASHING W/SOAP/WATER.IF MAT
L INJECTED UNDER SKIN GET MED ATTN IMMED.INHAL:REMOVE TO FRESH AIR.PROVID E OXY IF BREATH DIFFI.INGEST:DO NOT INDUCE VOMIT.IF OCCURS SPONTANEOUSLY KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQ INTO LUNGS. IN ALL CASES GET MED ATTN. DR:EMESIS SHOULD BE INDUCED (SUPPLEME)
======================================
<ul> <li>Flash Point Method:PMCC</li> <li>Flash Point:280F,138C</li> <li>Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT USE DIRECT STREAM O</li> <li>F WATER. PROD WILL FLOAT &amp; REIGN ON SURFACE OF WATER</li> <li>Fire Fighting Procedures:MATL WILL NOT BURN UNLESS PREHEATED.DO NOT ENTER CONFINED FIRESPACE W/O FULL BUNKER GEAR(HELMET/FACESHIELD/COATS/GLOVES/BOOTS)PLUS +PRESS NIOSH APPROVED SCBA.</li> <li>Unusual Fire/Explosion Hazard:COOL FIRE EXPOSED CONTAINERS WITH WATER.</li> </ul>
======================================
Spill Release Procedures:MAY BURN BUT NOT READILY IGN.USE CAUTIOUS JUDGEMENT WHEN CLEANING UP.WEAR RES P/PROT CLOTH AS APPROPRIATE.SHUT OFF LEAK W/O RISK.DIKE/CONTAIN.REMOVE W/VACUUM TKS/PUMP TO STORAGE SALVAGE VESS.SOAKUP RES IDUE W/ABSORBENT(CLAY,SAND,OTHER),FLUSHW/WATER.

Handling and Storage Precautions:STORE IN COOL DRY PLACE W/ADEQUATE VENTILATION.KEEP AWAY FROM OPEN FLAMES & HIGH TEMPS.BE SAFE.READ SAFETY INFO & PASS IT ON.

Other Precautions:PRODUCT CONTAINS NO DETECTABLE LEVELS(2.0ML/KG & NOT VOMI

TED.IF SYMPT SUCH AS LOSS OF G AG REFLEX,CONVULSIONS,UNCONC OCCUR BEFORE EMESIS GASTRIC LAVAGE USING CUFFED ENDOTRACEAL TUBE SHOULD BE CONSIDERED.

HCC:N1 Boiling Pt:B.P. Text:>400F,>204C Melt/Freeze Pt:M.P/F.P Text:-40F,POU PT Spec Gravity:0.8893 Viscosity:12CST @104F Evaporation Rate & amp; Reference:NOT AVAILABLE Appearance and Odor:WHITE LIQUID, SLIGHT HYDROCARBON ODOR.

Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS. Stability Condition to Avoid:AVOID HEAT, OPEN FLAMES. Hazardous Decomposition Products:HIGHLY DEPENDENT ON COMBUST CONDITIONS.COMPLEX MIXTURE OF AIRBONRE SOL/LIQ/PARTICU/GAS WILL EVOLVE FROM PYROLYSIS/COMBUS

Waste Disposal Methods:NONE SPECIFIED BY MFG. HOWEVER DISPOSE OF PRODUCT IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AN D FEDERAL

REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.