

CLIFTON ADHESIVE INC -- E-1293 MMM-A-121 -- 8040-00-165-8614

=====
Product Identification
=====

Product ID:E-1293 MMM-A-121

MSDS Date:03/25/1990

FSC:8040

NIIN:00-165-8614

MSDS Number: BKKCD

=== Responsible Party ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:282

City:WAYNE

State:NJ

ZIP:07474-0282

Country:US

Info Phone Num:201-694-0845

Emergency Phone Num:201-694-0845

CAGE:79833

===

Contractor Identification ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-0845; 973-694-0845

CAGE:79833

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #

:MN9275000
Fraction by Wt: 37%
Other REC Limits:NONE SPECIFIED
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 8%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 20%
Other REC Limits:NONE SPECIFIED
OSHA
PEL:1000PPM
ACGIH TLV:750PPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:POLYCHLOROPRENE RUBBER
CAS:9010-84-4
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NAUSEA AND/OR NARCOSIS. SEVERE
EYE BURNS. CHRONIC: MAY CAUSE NERVE DAMAGE OR SEVERE EYE BURNS. MAY
DAMAGE LIVER AND KIDNEYS. MINOR EMBRYOTOXIC/FETOTOXIC EFFECTS
HAVE
BEEN OBSERVED IN LAB RATS E XPOSED TO MEK BY INHALATION AT LEVELS
GREATER THAN 1000 PPM (5 TIMES THE OSHA-PEL) FOR MOST OF THE
GESTATION PERIOD.
Effects of Overexposure:IRRITATION TO EYES AND MUCOUS MEMBRANES. DRY
AND CRACKED SKIN. LIQUID INGESTION MAY RESULT IN VOMITING.
NUMBNESS, TINGLING AND WEAKNESS OF ARMS AND LEGS MAY OCCUR.
Medical Cond Aggravated by Exposure:RESPIRATORY AILMENTS, LIVER AND
KIDNEY CONDITIONS.

=====
===== First Aid Measures =====

=====

First Aid:SKIN: WASH WITH SOAP & WATER. REFER TO PHYSICIAN IF IRRITATION PERSISTS. EYES: FLUSH EYES ABUNDANTLY WITH CLEAN WATER AND REFER TO PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. REFER TO PHYSICIAN. EXCESSIVE INHALATION: REMOVE PATIENT TO FRESH AIR OR GIVE OXYGEN. USE CPR IF PATIENT IS NOT BREATHING. REFER TO PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point: