

DAVIS HOWLAND OIL CO. -- NAPHTHA -- 6810-00-224-7637

===== Product Identification =====

Product ID:NAPHTHA

MSDS Date:01/01/1987

FSC:6810

NIIN:00-224-7637

MSDS Number: BKLVD

=== Responsible Party ===

Company Name:DAVIS HOWLAND OIL CO.

Address:200 ANDERSON AVENUE

City:ROCHESTER

State:NY

ZIP:14706

Country:US

Info Phone Num:716-473-6650

Emergency Phone Num:716-473-6650

Preparer's Name:DOD-HMIS (DGSC-S  
SH)

CAGE:5A565

=== Contractor Identification ===

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Phone:716-473-6650

CAGE:5A565

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000

Fraction by Wt: 100%

OSHA PEL:100 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion

:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:PRODUCT IS IRRITATING TO BODY TISSUES.  
Explanation of Carcinogenicity:THE PRODUCT CONTAINS NO INGREDIENT THAT  
IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:AVOID EYE CONTACT AND INHALATION. DO NOT  
INGEST.  
Medical Cond Aggravated by Exposure:NONE GIVEN BY MANUFACTURER  
(SUPPLIER).

===== First Aid Measures =====

First Aid:EYE:IMMEDI  
ATELY FLUSH W/WATER AT LEAST 15 MIN. CALL MD.  
SKIN:FLUSH THOROUGHLY W/WATER. INHAL:REMOVE TO FRESH AIR & CALL MD.  
INGEST:INDUCE VOMITING & CALL MD. (MFG REC)

===== Fire Fighting Measures =====

Flash Point:22F TCC  
Extinguishing Media:SMALL FIRE-CO\*2, DRY CHEM; LARGE FIRE-FOAM  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCE  
S OF IGNITION.FLUSH  
W/LARGE VOLUMES OF WATER.  
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:AVOID STORING IN EXCESSIVE HEAT.J  
Other Precautions:DOT CLASSIFICATION:FLAMMABLE LIQUID.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR SUPPLIED. IN CONFINED AREAS. NIOSH/MSHA  
APP.RESP.  
Ventilation:MECHANICAL-REQUIRED;LOCAL-DESIRABLE  
Protective Gloves:PLASTIC  
Eye Prote

ction:CHEMICAL GOGGLES  
Other Protective Equipment:NONE GIVEN BY MANUFACTURER (SUPPLIER).  
Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID  
UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING.  
Supplemental Safety and Health  
MSDS GENERATED FROM THE SAME SPEC MATERIAL FROM A DIFFERENT MFR.

===== Physical/Chemical Properties =====

HCC:F2  
Boiling Pt:B.P. Text:205F,96C  
Vapor Density:1.6  
Spec Gravity:0.771  
Evaporation Rate & Reference:3.1  
BUTYL ACETATE  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:WATER WHITE LIQUID  
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:HEAT, FIRE & SPARKS  
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:ATOMIZE INTO AN INCINERATOR-RECOMMENDS MFG.  
DISPOSE IN ACCORDANCE W/LOCAL, STATE,  
& FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to  
their  
particular situation.