

JET-LUBE INC -- MIL-A-907E LEAD-FREE AEROSOL -- 8030-00-155-6444

=====
Product Identification
=====

Product ID:MIL-A-907E LEAD-FREE AEROSOL

MSDS Date:08/27/1990

FSC:8030

NIIN:00-155-6444

MSDS Number: BKMDP

=== Responsible Party ===

Company Name:JET-LUBE INC

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77226

Country:US

Info Phone Num:713-674-7617/713-370-6206(AFTER HR)

Emergency

Phone Num:713-674-7617

Preparer's Name:DONALD A. OLDIGES

CAGE:0A307

=== Contractor Identification ===

Company Name:JET-LUBE INC

Address:4849 HOMESTEAD RD

Box:21258

City:HOUSTON

State:TX

ZIP:77026

Country:US

CAGE:0A307

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM OIL

CAS:64741-96-4

RTECS #:PY8040000

Fraction by Wt: 15% MIN

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000
Fraction by Wt: 55% MAX
Other REC Limits:NONE SPECIFIED
OSHA PEL:350 PPM/450 STEL
ACGIH TLV:350 PPM/450STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:COPPER (SARA III)
CAS:7440-50-8
RTECS #:GL5325000
Fraction by Wt: 5% MAX
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.1MG/M3 FUME/1 DUST
ACGIH TLV:0.2MG/M3 FUME; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:A70
Fraction by Wt: 25% MAX
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: CENTRAL NERVOUS SYSTEM
DEPRESSION, FROM LIGHT-HEADEDNESS TO UNCONSCIOUSNESS & DEATH.
EXPOSURE MAY CAUSE IRRITATION TO SKIN & EYES. CHRONIC: HEADACHE,
MENTAL CONFUSION, DEPRESSION, FATIGUE, LOSS OF APPETITE, NAUSEA,
VOMITING, LOSS OFBALANCE & VISUAL DISTURBANCES. PROLO
NGED/REPEATED
CONTACT MAY CAUSE DERMATITIS.
Medical Cond Aggravated by Exposure:PERSONS WITH ANGINA AND HEART
DISEASE SHOULD NOT BE EXPOSED TO THIS PRODUCT WHERE VENTILATION IS
NOT ADEQUATE.

===== First Aid Measures =====

First Aid:INHALE: GET PERSON TO FRESH AIR. IF BREATHING HAS STOPPED,
RESUSCITATE AND ADMINISTER OXYGEN IF AVAILABLE. CALL PHYSICIAN.
INGEST: IF INGESTED, CALL PHYSICIAN. EYES: IMMEDIATELY FLUSH EYES
WITH LARGE AMOU

NTS OF WATER FOR AT LEAST 15 MINUTES, HOLDING LIDS
APART TO ENSURE FLUSHING OF THE ENTIRE EYE SURFACE. CALL PHYSICIAN.
SKIN: REMOVE BY WIPING OR WATERLESS HAND CLEANER, FOLLOWED BY
WASHING.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:NR
Autoignition Temp:Autoignition Temp Text:500F
Lower Limits:8.0
Upper Limits:10.5
Extinguishing Media:USE FOAM, DRY CHEMICAL, WATER SPRAY (FOG), CARBON
DIOXIDE OR VAPORIZING LIQUID-TYPE
EXTINGUISHING AGENTS.
Fire Fighting Procedures:USE SUPPLIED-AIR BREATHING EQUIPMENT.
Unusual Fire/Explosion Hazard:PRODUCT DECOMPOSES TO GIVE OFF HYDROGEN
CHLORIDE, PHOSGENE AND OTHER TOXIC VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS, WIPE UP WITH RAGS, PICK-UP
WITH DIATOMACEOUS EARTH TO AVOID WALKING HAZARD.

===== Handling and Storage =====

Handling and Storage Precautions:USE
ONLY WITH ADEQUATE VENTILATION
PROTECT CONTAINERS FROM HEAT AND DIRECT SUNLIGHT.
Other Precautions:IN HIGH VAPOR CONCENTRATION, MATERIAL CAN BE
HAZARDOUS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED IF PROPER VENTILATION IS PRESENT.
Ventilation:USE LOCAL EXHAUST.
Protective Gloves:NR
Eye Protection:NR
Other Protective Equipment:NR
Work Hygienic Practices:WASH HANDS BEFORE EATING.
Supplemental Safety and Health

=====

==== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:165F,74C

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:100

Vapor Density:>4.0

Spec Gravity:1.50

Evaporation Rate & Reference: