View NSN Online: https://aerobasegroup.com/nsn/8010-00-056-9522

BAKER SEALANTS AND COATINGS CO -- TT-C-530 RUST INHIBITIVE COATING -- 8030-00-056-9522

========= Product Identification ==============

Product ID:TT-C-530 RUST INHIBITIVE COATING

MSDS Date:05/31/1989

FSC:8030

NIIN:00-056-9522

MSDS Number: BKPFR === Responsible Party ===

Company Name: BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:B

City: JERSEY CITY

State:NJ ZIP:07304 Country:US

Info Phone Num:201-33

3-6986

Emergency Phone Num:201-333-6986/800-424-9300 CHEMTREC

CAGE:34094

=== Contractor Identification ===

Company Name: BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306 Country:US

Phone:201-333-6986

CAGE:34094

======= Composition/Information on Ingredients ========

Ingred Name: RESIN Fraction by Wt: 17%

Other REC Limits: NONE SPECIFIED

Ingred Name:FISH OIL Fraction by Wt: 11%

Other REC Limits: NONE SPECIFIED

Ingred Name: IRON OXIDE

C

AS:1309-37-1

RTECS #:NO7525000 Fraction by Wt: 23%

Other REC Limits: NONE SPECIFIED

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5 MG/M3(FE),B2; 9293

Ingred Name: ZINC CHROMATE AS CR (CARC)

CAS:37300-23-5 RTECS #:GB3300000 Fraction by Wt: 1%

Other REC Limits:NONE SPECIFIED OSHA PEL:0.1 MG/M3 AS DUST

Ingred Name: SILICA, AMORPHOUS, DIATOMACEOUS EARTH, CONTAINING LESS THAN

1% CRYSTALLINE SILICA

CAS:61790-53-2 RTECS #:HL8600000 Fraction by Wt: 6%

Other REC Limits: NONE SPECIFIED

**OSHA PEL:20 MPPCF** 

**ACGIH TLV:1** 

0 MG/M3 TDUST; 9293

Ingred Name: MINERAL SPIRITS

CAS:64475-85-0 RTECS #:PY8240000 Fraction by Wt: 25%

Other REC Limits: NONE SPECIFIED

OSHA PEL:120 PPM

ACGIH TLV:5 SG/KG (ORAL)

Ingred Name: TALC (CONTAINING NO ASBESTOS)

CAS:14807-96-6 RTECS #:WW2710000 Fraction by Wt: 11%


Other REC Limits: NONE SPECIFIED

OSHA PEL:2 MG/M3 RDUST

ACGIH TLV:2 MG/M3 RDUST; 9192

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carci



•••
======== Physical/Chemical Properties =========
HCC:F4 Boiling Pt:B.P. Text:323 TO 390F Vapor Density:> AIR Evaporation Rate & Description Rate & Percent Volatiles by Volume:43
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Hazardous Decomposition Products:CARBON DIOXIDE OR CARBON MONOXIDE ON COMBUSTION
======= Disposal Considerations ==========

Waste Disposal Methods: AS PER LOCAL AND FEDERAL REGULATIONS FOR HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and ssume responsibility for the suitability of this information to their

particular situation.

lth