View NSN Online: https://aerobasegroup.kr/nsn/4730-00-216-6151

## FLEXITALLIC GASKET CO INC -- ASBESTOS FILLED SPIRAL WOUND GASKET -- 4730-00-216-6151

Product ID: ASBESTOS FILLED SPIRAL WOUND GASKET

MSDS Date:07/09/1986

FSC:4730

NIIN:00-216-6151

MSDS Number: BKPGN === Responsible Party ===

Company Name: FLEXITALLIC GASKET CO INC

Address:6915 LAPORTE ROAD

Box:760

City:DEER PARK

State:TX ZIP:77536 Country:US

Info Phone Num:713-479-

3491

Emergency Phone Num:713-479-3491

CAGE:58156

=== Contractor Identification ===

Company Name: ALPHA MFG CO (AUTOMATION DEVICES INC)

Address:7610 FM 3180 Box:City:BAYTOWN

State:TX ZIP:77520 Country:US

Phone:713-383-3403

CAGE:1N196

Company Name: FLEXITALLIC GASKET CO INC.

Address:6915 LAPORTE RD

Box:760

City:DEER PARK

State:TX ZIP:77536 Country:US

Phone:713-479-3491

CAGE:58156

====== Composition/Information on Ingredients ========

Ingred Name: ASBESTOS, CHRYSOTILE

CAS:12001-29-5

RT

ECS #:CI6478500 Other REC Limits: NONE SPECIFIED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9192 Ingred Name: NONHAZARDOUS INGREDIENTS Other REC Limits: NONE SPECIFIED LD50 LC50 Mixture: NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Health Hazards Acute and Chronic:BREATHING OF ASBESTOS FIBERS IN SIGNIFICANT AMOUNTS MAY PR ODUCE IRREVERSIBLE LUNG DISEASE AND CANCER. Explanation of Carcinogenicity: ASBESTOS FIBERS HAVE BEEN ASSOCIATED WITH DEVELOPMENT OF CANCER IN HUMANS. Effects of Overexposure: IRREVERSIBLE LUNG DISEASE AND CANCER. Medical Cond Aggravated by Exposure: PRE-EXISTING RESPIRATORY CONDITIONS MAY BE AGGRAVATED BY EXPOSURE. First Aid:IN CASE OF EYE CONTACT, FLUSH WITH WATER FOR 15 MINUTES. CONTACT A PHYSICIAN IF IRRITATI ON OCCURS. ============ Fire Fighting Measures ========================= Flash Point: NONFLAMMABLE Lower Limits: NONE **Upper Limits:NONE** Extinguishing Media: NONFLAMMABLE. USE MEDIA SUITABLE FOR SURROUNDING Fire Fighting Procedures: NONFLAMMABLE. USE PROCEDURES SUITABLE FOR

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures: VACUUM FINES AND DUST CAREFULLY

----- Accidental Release Measures -----

SURROUNDING FIRE.

Other Precautions: SEE OTHER REGULATIONS FOR ASBESTOS HANDLING IN CFR

====== Exposure Co ntrols/Personal Protection ========

Respiratory Protection: USE MSA/OSHA RESPIRATOR IF DESIRED.

Ventilation: CONSULT LOCALLY APPLICABLE REGULATIONS FOR EMISSION.

Protective Gloves: NONE SPECIFIED BY MANUFACTURER.

TITLE 29, PART 1910, SUBPART 2, PAR 1910.1001.

Eye Protection: NONE SPECIFIED BY MANUFACTURER.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: KEEP WORK AREA CLEAN OF ASBESTOS DUST.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

========== Physical/Chemical Properties

HCC:N1

Boiling Pt:B.P. Text:NONE

Vapor Pres:NONE Vapor Density:NONE

Spec Gravity:2.5

Evaporation Rate & Dr. Reference: NIL

Solubility in Water: NEGLIGIBLE

Appearance and Odor:LIGHT BLUE; NO ODOR

Percent Volatiles by Volume:0 %

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:NONE SPECIFIED B

ν	1/1/2	11/1/2	IFAC	TIII:	RFR.
1	IVI	4 I V I	JEAL		r

======= Disposal Considerations ===========

Waste Disposal Methods: FOLLOW FEDERAL, STATE AND LOCAL REGULATIONS FOR DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.