

AUSTIN JAMES COMPANY -- WINDOW/GLASS CLEANER -- 7930-00-184-9423

=====
Product Identification
=====

Product ID:WINDOW/GLASS CLEANER

MSDS Date:09/04/1990

FSC:7930

NIIN:00-184-9423

MSDS Number: BKSJP

=== Responsible Party ===

Company Name:AUSTIN JAMES COMPANY

Address:DOWNIEVILLE ROAD

Box:827

City:MARS

State:PA

ZIP:16046

Country:US

Info Phone Num:412-625-1535

Emergency Phone Num:412-625-1535

CAGE:KO

514

=== Contractor Identification ===

Company Name:AUSTIN JAMES CO

Address:115 DOWNIEVILLE ROAD

Box:City:MARS

State:PA

ZIP:16046-0827

Country:US

Phone:724-625-1535

CAGE:6Z316

Company Name:AUSTIN JAMES COMPANY

Address:DOWNIEVILLE ROAD

Box:827

City:MARS

State:PA

ZIP:16046

Country:US

Phone:412-625-1535

CAGE:KO514

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 92.4%

Other REC Limits:NONE SPECIFIED

OSHA PEL:NONE

ACGIH TLV:NONE

Ingred Name:AMMONIUM HYDROXIDE (SARA III)

CAS:1336-21-6

RTECS #:BQ9625000

Fraction by Wt: 4.0%

Other REC Limits:NONE SPECIFIED

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 3.6%

Other REC Limits:NONE SPECIFIED

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Report

s of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure:HIGH VAPOR CONCENTRATIONS OR PROLONGED BREATHING OF VAPORS MAY CAUSE HEADACHES, DIZZINESS, NAUSEA, INCOORDINATION, DROWSINESS & UNCONSCIOUSNESS.

Medical Cond Aggravated by Exposure:SKIN CUTS, BURNS OR ABRASIONS. IRRITATED EYES. RESPIRATORY AILMENTS.

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH LARGE QUANTITIES OF WATER. CALL PHYSICIAN.

SKIN:REMOVE CLOTHING/WA

SH AREA WITH WATER. INGESTION:DO NOT GIVE

LIQUID IF VICTIM IS UNCONSCIOUS OR DROWSY. OTHERWISE, DRINK PROMPTLY ONE OR TWO GLASSES OF WATER. FOLLOW WITH CITRUS JUICE.

AVOID ALCOHOL. CALL PHYSICIAN IMMEDIATELY. CALL POISON CONTROL CENTER FOR INFORMATION IF DOCTOR IS UNAVAILABLE.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:130 F/54 C

Extinguishing Media:WATER, DRY CHEMICAL, ALCOHOL FOAM, CO2.

Fire Fighting Procedures:AVOI

D FUMES FROM SPILLED OR EXPOSED LIQUID. BE
PREPARED TO USE MSHA/NIOSH SELF-CONTAINED BREATHING APPARATUS &
PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:TREAT AS A COMBUSTIBLE LIQUID.

===== Accidental Release Measures =====

Spill Release Procedures:ELIM ALL IGNITE SOURCES.CONTAIN RUN-OFF
W/ABSORB(SAND,CLAY)& DIKE.TRANSFER LIQ & ABSORB IN APPROVED
CONTAINER.THEN FLUSH & MOP AREA W/WATER ALLOWING TO AIR DRY.KEEP
SPILL OUT OF SEWERS & OPEN BODI
ES O F WATER.DO NOT ADD PRODUCT TO
ANY IRRIGATION SYST

===== Handling and Storage =====

Handling and Storage Precautions:AVOID HEAT & DIRECT SUNLIGHT. FOLLOW
DIRECTIONS ON LABEL. TIGHTEN CAP SECURELY. STORE CONTAINER UPRIGHT.
KEEP AWAY FROM CHILDREN.

Other Precautions:DO NOT STORE NEAR FOOD STUFFS, WATER OR FEED. AVOID
CREASING OR IMPACTING OF SIDE CONTAINER WALLS.

===== Exposure Controls/Personal Protection =====

Respirato
ry Protection:WHEN FUMES ARE PRESENT USE NIOSH RESPIRATOR WITH
AMMONIA CANISTER.

Ventilation:NONE

Protective Gloves:NONE

Eye Protection:GOGGLES WHEN TRANSFERED TO SPRAY BOTTLES

Other Protective Equipment:NONE

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:200F,93C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:15.5

Spec Gravity:0.992

pH:10-11

Solubility in Water:100

Appearance and Odor:CLEAR LIGHT BLUE LIQU

ID WITH ALCOHOL AMMONIA AROMA.
Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:KEEP AWAY FROM HEAT, SPARKS & OPEN FLAMES.

Hazardous Decomposition Products:AMMONIA GAS WHERE LARGE QUANTITIES OF
WINDOW/GLASS CLEANER ARE STORED.

===== Disposal Considerations =====

Waste Disposal Methods:TRIPLE RINSE. OFFER FOR

RECYCLING,RECONDITION,PUNCTURE & DISPOSE OF IN SANITARY
LANDFILL,INCINERATION OR ALLOWED BY STATE & LOCAL AUTHORITY BY
BURNING.IF BURNED STAY OUT OF SMOKE.DO NOT REUSE EMPTY CO
NTAINER(BOTTLE,CAN,BUCKET). WRAP & PUT IN TRASH.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information

to be accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.