

RAUSCH NAVAL STORES CO., INC. -- STEAM DISTILLED WOOD TURPENTINE -- 8010-00-246-6443

=====  
Product Identification  
=====

Product ID:STEAM DISTILLED WOOD TURPENTINE

MSDS Date:01/01/1987

FSC:8010

NIIN:00-246-6443

MSDS Number: BKZXV

=== Responsible Party ===

Company Name:RAUSCH NAVAL STORES CO., INC.

Address:355 IRIS AVENUE

City:NEW ORLEANS

State:LA

ZIP:70121

Country:US

Info Phone Num:(504)833-3754

Em

ergency Phone Num:(504)833-3754

CAGE:86714

=== Contractor Identification ===

Company Name:RAUSCH NAVAL STORES CO., INC.

Address:355 IRIS AVENUE

Box:City:NEW ORLEANS

State:LA

ZIP:70121

Country:US

Phone:(504)833-3754

CAGE:86714

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TURPENTINE

CAS:8006-64-2

RTECS #:YO8400000

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM; 9192

=====  
Hazards Identification  
=====

=====

Health Hazards Acute and Chronic:HEADACHE, DIZZINESS.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINTUES. CALL PHYSICIAN. SKIN:  
REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. INHALATION:  
REMOVE VICTIM FROM CONTAMINATED AREA. ADMINISTER ARTIFICIAL  
RESPIRATION IF NECESSARY. CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Poin

t:91.0F,32.8C

Lower Limits:0.8

Extinguishing Media:WATER FOG, FOAM, DRY CHEMICALS, CARBON DIOXIDE.

Fire Fighting Procedures:COOL CONTAINERS WITH WATER IF EXPOSED TO FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCE OF IGNITION. NO SMOKING. FLUSH  
AWAY SMALL SPILLS WITH WATER. PUMP LARGE SPILLS TO SALVAGE TANK.

===== Handling and Storage =====

Handling and Storage Precautions:WARNING: FLAMMABL

E. KEEP AWAY FROM

OPEN FLAME.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED OR AIRLINE BREATHING APPARATUS IN  
HIGH VAPOR CONCENTRATION.

Ventilation:LOCAL EXHAUST PREFERRED.

Protective Gloves:EDMONT #312, DAVID P-120 OR EQUIVALENT.

Eye Protection:CHEMICAL-SPLASH SAFETY GOGGLES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:313 TO 338F

Vapor Pres

:4 MM @ 20C  
Vapor Density:4.7  
Spec Gravity:0.862  
Evaporation Rate & Reference:LESS THAN 1 (BUAC = 1)  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:COLORLESS LIQUID; PINEY ODOR.  
Percent Volatiles by Volume:99.4

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG MINERAL ACIDS, ALUMINUM CHLORIDE, BORON TRIFLUORIDE.  
Stability Condition to Avoid:SUSCEPTIBLE TO OXIDATION AND SELF-HEATING.  
Hazardous Decomposition Products:BUR  
NING LIBERATES CO, CO2 AND SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE, DISPOSE OF IN ACCORDANCE WITH  
GOVERNMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability  
for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.