View NSN Online: https://aerobasegroup.com/nsn/6810-00-043-0783

CITY CHEMICAL CORPORATION -- S2547 SODIUM SULFITE -- 6810-00-043-0783

Product ID:S2547 SODIUM SULFITE MSDS Date:01/05/1989 FSC:6810 NIIN:00-043-0783 **MSDS Number: BLCXS** === Responsible Party === **Company Name: CITY CHEMICAL CORPORATION** Address:132 W 22ND STREET **City:NEW YORK** State:NY ZIP:10011 Country:US Info Phone Num:212-929-2723 Emergency Phone Num:212-929-2723 CAGE:83628 === Contractor Identification === Company Name: CITY CHEMICAL CORPORATION Address:100 HOBOKEN AVE City: JERSEY CITY State:NJ ZIP:07310 Country:US Phone:201-653-6900/800-248-2436 CAGE:83628 

Ingred Name:SODIUM SULFITE (2:1) (ANHYDROUS) CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 98-100%

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of

Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: CONTACT MAY CAUSE IRRIT OF SKIN, EYES, & MUCOUS MEMBRANES. INHAL: DUST MAY CAUSE IRRIT TO UPPER RESP TRACT. INGEST: MAY CAUSE GI IRRITATION, NAUSEA, VOMITING, UNCONSCIOUSNESS, CNS DEPRESSION. ALLERGIC RXN MAY DEVELOP. EXPOSURES TO SMALL AMTS OF SULFITES HAVE BEEN REPORTED TO CAUSE HYPERSENSITIVITY (EFTS OF OVEREXP) Explanation of Carcinogenici ty:NOT RELEVANT Effects of Overexposure: HLTH HAZ: REACTIONS IN CERTAIN INDIVIDUALS ESPECIALLY ASTHMATICS. A SEVERE ALLERGIC REACTION MAY BE FATAL. Medical Cond Aggravated by Exposure:ASTHMATICS. First Aid:INGEST: IF CONSCIOUS, IMMEDIATELY GIVE LARGE AMOUNTS OF WATER. GET MEDICAL ATTN. INHAL: MOVE TO FRESH AIR. GET MEDICAL ATTN. EYE CONTACT: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MIN. GET M EDICAL ATTN. SKIN CONTACT: IMMEDIATELY WASH WITH PLENTY OF SOAP & WATER FOR AT LEAST 15 MIN. Extinguishing Media: USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER. Spill Release Procedures:WEAR NIOSH/ MSHA APPROVED RESPIRATOR, GOGGLES, RUBBER BOOTS, & HEAVY RUBBER GLOVES. AVOID RAISING DUST. SWEEP UP & PLACE IN AN APPROPRIATE CONTR. VENTILATE AREA & WASH SPILL SITE AFTER MATERIAL PICK UP IS COMPLETED. 

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED.
 SUITABLE FOR ANY GENERAL CHEMICAL STORAGE.
 Other Precautions:DURING USE, AVOID CONTACT WITH EYES, SKIN, OR CLOTHING.

====== Exposure

Controls/Personal Protection ========

Respiratory Protection:NONE REQD WHERE ADEQ VENT CNDTNS EXIST. IF AIRBORNE CONC IS HIGH, USE NIOSH/MSHA APPRVD RESPIRATOR OR DUST MASK APPROPRIATE FOR EXPOSURE OF CONCERN.
Ventilation:ADEQUATE GENERAL OR LOCAL EXHAUST TO KEEP FUME OR DUST LEVELS AS LOW AS POSSIBLE.
Protective Gloves:RUBBER GLOVES.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:SAFETY SHOWER & EYEWASH BATH.
Work Hygienic Practices:WASH THOROUGHLY AFTE
R HANDLING.
Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

HCC:N1 Melt/Freeze Pt:M.P/F.P Text:DECOMPOSES Spec Gravity:2.63 pH:9 Solubility in Water:APPRECIABLE >10% Appearance and Odor:WHITE CRYSTALS OR POWDER. ODORLESS.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENT, STRONG ACID. Stability Condition to Avoid:HEAT, MOISTUR E.

Hazardous Decomposition Products:WHEN HEATED TO DECOMPOSITION, IT EMITS TOXIC FUMES OF SULFUR DIOXIDE.

Waste Disposal Methods:DISPOSE OF I/A/W ALL APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoeve r, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.