View NSN Online: https://aerobasegroup.kr/nsn/3439-00-163-4347 GARDINER SOLDER CO DIV OF GARDINER METAL CO -- SOLDERING ALLOY: TIN - LEAD --3439-00-163-4347 ============= Product Identification ======================== Product ID:SOLDERING ALLOY: TIN - LEAD MSDS Date:05/01/1990 FSC:3439 NIIN:00-163-4347 MSDS Number: BLFBN === Responsible Party === Company Name: GARDINER SOLDER CO DIV OF GARDINER METAL CO Address: 4820 S CAMPBELL AVE City:CHICAGO State:IL ZIP:60632-1416 Country:US Info P hone Num:312-847-0100

Emergency Phone Num:312-847-0100/800-424-9300(CHEMTREC)

CAGE:56244

=== Contractor Identification ===

Company Name: GARDINER SOLDER CO, DIV OF GARDINER METAL CO

Address:4820 S CAMPBELL AVE

Box:City:CHICAGO

State:IL

ZIP:60632-1416

Country:US

Phone:312-847-0100/800-424-9300(CHEMTREC)

CAGE:56244

======= Composition/Information on Ingredients ========

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000 Fraction by Wt: 5 - 95%

Other REC Limits: NONE SPECIFIE

D

OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:TIN CAS:7440-31-5

RTECS #:XP7320000 Fraction by Wt: 95 - 5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9192

========== Hazards Identification ================

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chr

onic:HEALTH STUDIES HAVE SHOWN THAT POTENTIAL HEALTH RISKS MAY VARY BY INDIVIDUAL. ALWAYS MINIMIZE EXPOSURE AS A PRECAUTION. MAY CAUSE RESPIRATORY IRRITATION. Explanation of Carcinogenicity:DATA PER MANUFACTURER'S MSDS Effects of Overexposure:METALLLIC TASTE IN MOUTH. IRRITATION OF THE RESPIRATORY TRACT. Medical Cond Aggravated by Exposure:PRE-EXISTING RESPIRATORY/LUNG CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.
CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.
======================================
First Aid:IN CASE OF SKIN CONTACT, FLUSH WITH WATER IMMEDIATELY. TREAT FOR BURNS, SEEK MEDICAL ATTENTION IF REQUIRED. IN CASE OF EYE CONTACT, FLUSH WITH WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION. IN CASE OF INGESTION, DRINK LARGE AMOUNTS OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING TO AN UNCONSCIOUS PERSON. IN CASE OF INHALATION, REMOVE TO FRESH AIR. SUPPORT RESPIRATION IF REQUIRED. SEEK MD.
======================================
Flash Point:NONFLAMMABLE Lower Limits:NONFLAMMABLE Upper Limits:NONFLAMMABLE Extinguishing Media:DRY CHEMICAL. DO NOT USE WATER. Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS ABOVE 1832F. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
======================================
Spill Release Procedures:COLLECT AND USE. IF CONTAMINATED OR IN SMALL PARTICLES, VACUUM, OR COLLECT MATERIAL. NEVER USE ANY METHOD WHCIH WILL GENER ATE DUST.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============= Handling and Storage ============
Handling and Storage Precautions:STORE AWAY FROMOXIDIZING MATERIALS. Other Precautions:AVOID CONTACT WITH FUMES AND DUST.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:0.03 MG/M3 - HALF MASK; 2.5 MG/M3 - FULL FACE MASK; 50 MG/M3 - SELF-CONTAINED RESPIRATORY SUIT. Ventilation:LOCAL EXHAUST PREFERRED. SPECIAL HEPA FILT

ERS REQUIRED. Protective Gloves:HEAT RESISTANT DURING SOLDERING Eye Protection:GOGGLES OR FACE SHIELD DURING SOLDERING Other Protective Equipment:AS REQUIRED TO AVOID CONTACT Work Hygienic Practices:WASH AFTER USE. FOLLOW GOOD INDUSTRIAL HYGIENIC PRATICES. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.
========= Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:3164F,1740C Melt/Freeze Pt:M.P/F.P Text:361F,183C Decomp Temp:Decomp Text:NOT GIVEN Vapor Pres:1.7@1000C Vapor Density:NOT GIVEN Spec Gravity:NOT GIVEN Solubility in Water:INSOLUBLE Appearance and Odor:SILVER GREY SOLID, ODORLESS Percent Volatiles by Volume:0 %
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH OXIDIZING MATERIALS.

Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH OXIDIZING MATERIALS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:TOXIC METAL FUMES ABOVE 1832F

====== Disposal Consid erations ===========

Waste Disposal Methods:NEVER DISPOSE OF IN REGULAR TRASH. HOLD FOR RECYCLING OR DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for

its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.