View NSN Online: https://aerobasegroup.kr/nsn/3439-00-163-4347

Product ID:SOLDERING ALLOY: TIN - LEAD MSDS Date:05/01/1990 FSC:3439 NIIN:00-163-4347 **MSDS Number: BLFBN** === Responsible Party === Company Name: GARDINER SOLDER CO DIV OF GARDINER METAL CO Address:4820 S CAMPBELL AVE City:CHICAGO State:IL ZIP:60632-1416 Country:US Info P hone Num:312-847-0100 Emergency Phone Num:312-847-0100/800-424-9300(CHEMTREC) CAGE:56244 === Contractor Identification === Company Name: GARDINER SOLDER CO, DIV OF GARDINER METAL CO Address:4820 S CAMPBELL AVE Box:City:CHICAGO State:IL ZIP:60632-1416 Country:US Phone:312-847-0100/800-424-9300(CHEMTREC) CAGE:56244 Ingred Name:LEAD (SARA III) CAS:7439-92-1 RTECS #:OF7525000 Fraction by Wt: 5 - 95% Other REC Limits:NONE SPECIFIE D OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name:TIN CAS:7440-31-5 RTECS #:XP7320000 Fraction by Wt: 95 - 5% Other REC Limits:NONE SPECIFIED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9192 LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.

LD50 LC50 MIXture:NOT SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chr onic:HEALTH STUDIES HAVE SHOWN THAT POTENTIAL HEALTH RISKS MAY VARY BY INDIVIDUAL. ALWAYS MINIMIZE EXPOSURE AS A PRECAUTION. MAY CAUSE RESPIRATORY IRRITATION. Explanation of Carcinogenicity: DATA PER MANUFACTURER'S MSDS Effects of Overexposure: METALLLIC TASTE IN MOUTH. IRRITATION OF THE RESPIRATORY TRACT. Medical Cond Aggravated by Exposure: PRE-EXISTING RESPIRATORY/LUNG CONDITIONS MAY BE AGGRAVATED BY EXPOSURE. First Aid:IN CASE OF SKIN CONTACT, FLUSH WITH WATER IMMEDIATELY. TREAT FOR BURNS, SEEK MEDICAL ATTENTION IF REQUIRED. IN CASE OF EYE CONTACT, FLUSH WITH WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION. IN CASE OF INGESTION, DRINK LARGE AMOUNTS OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING TO AN UNCONSCIOUS PERSON. IN CASE OF INHALATION, REMOVE TO FRESH AIR. SUPPORT RESPIRATION IF REQUIRED. SEEK MD. =

Flash Point:NONFLAMMABLE Lower Limits:NONFLAMMABLE Upper Limits:NONFLAMMABLE Extinguishing Media:DRY CHEMICAL. DO NOT USE WATER. Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS ABOVE 1832F. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures:COLLECT AND USE. IF CONTAMINATED OR IN SMALL PARTICLES, VACUUM, OR COLLECT MATERIAL. NEVER USE ANY METHOD WHCIH WILL GENER ATE DUST.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE AWAY FROMOXIDIZING MATERIALS. Other Precautions:AVOID CONTACT WITH FUMES AND DUST.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:0.03 MG/M3 - HALF MASK; 2.5 MG/M3 - FULL FACE MASK; 50 MG/M3 - SELF-CONTAINED RESPIRATORY SUIT. Ventilation:LOCAL EXHAUST PREFERRED. SPECIAL HEPA FILT ERS REQUIRED. Protective Gloves:HEAT RESISTANT DURING SOLDERING Eye Protection:GOGGLES OR FACE SHIELD DURING SOLDERING Other Protective Equipment:AS REQUIRED TO AVOID CONTACT Work Hygienic Practices:WASH AFTER USE. FOLLOW GOOD INDUSTRIAL HYGIENIC PRATICES. Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

HCC:N1 Boiling Pt:B.P. Text:3164F,1740C Melt/Freeze Pt:M.P/F.P Text:361F,183C Decomp Temp:Decomp Text:NOT GIVEN Vapor Pres:1.7@1000C Vapor Density:NOT GIVEN Spec Gravity:NOT GIVEN Solubility in Water:INSOLUBLE Appearance and Odor:SILVER GREY SOLID, ODORLESS Percent Volatiles by Volume:0 %

Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH OXIDIZING MATERIALS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:TOXIC METAL FUMES ABOVE 1832F

====== Disposal Consid

Waste Disposal Methods:NEVER DISPOSE OF IN REGULAR TRASH. HOLD FOR RECYCLING OR DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for

its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.