View NSN Online: https://aerobasegroup.kr/nsn/6810-00-826-6121

JONES CHEMICALS INC -- SUNNY SOL AQUA AMMONIA;AQUA AMMONIA 26 BAUM

6810-00-826-6121

Product ID:SUNNY SOL AQUA AMMONIA; AQUA AMMONIA 26 BAUM

MSDS Date:12/12/1989

FSC:6810

NIIN:00-826-6121

MSDS Number: BLHHL === Responsible Party ===

Company Name: JONES CHEMICALS INC

Address:100 SUNNY SOL BLVD

City:CALEDONIA

State:NY ZIP:14423 Country:US

Info Phone Num:716-538-231

1/504-536-1171

Emergency Phone Num:716-538-2311/CHEMTREC 800-424-9300

CAGE:84297

=== Contractor Identification ===

Company Name: JONES CHEMICALS INC

Address: 100 SUNNY SOL BLVD

Box:City:CALEDONIA

State:NY ZIP:14423 Country:US

Phone:716-538-2311

CAGE:84297

Company Name: UNI-KEM INTERNATIONAL Address: 1001 HARIMAW COURT EAST

Box:City:METAIRIE

State:LA ZIP:70001 Country:US

Phone:504-835-7600/FAX:504-835-7608

CAGE:4S446

======= Composition/Information on Ingredients ========

Ingred Name:A

MMONIA (SARA III) CAS:7664-41-7 RTECS #:BO0875000 Fraction by Wt: 29.4%

Other REC Limits: NONE SPECIFIED

OSHA PEL:50 PPM

ACGIH TLV:25 PPM/35 STEL; 9293

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name: INERT INGREDIENTS

Fraction by Wt: BALANCE

Other REC Limits: NONE SPECIFIED

=========== Hazards Identification ==========================

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 350 MG/KG (NH3) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IAR

C:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-EYES:MAY BE SEVERELY IRRITATING & CAUSE BURNS.SKIN:HIGH CONCENTRATIONS CAN CAUSE SEVERE IRRITATION & BURNS.INHALATION:CAN RESULT IN HEADACHES,COUGHING,SEVERE LUNG CONGESTION.INGESTION:CORROSIVE TO THE DIGESTIVE TRACT;SWALLOWING AS LITTLE AS A TEASPOONFUL HAS CAUSED DEATH.CHRONIC-MAY CAUSE CATARACTS,DERMATITIS.

Effects of Overexposure:MAY BE SEVERELY IRRITATING & CAUSE EYE BURN.HIGH CONCENTRATIONS CAN CAUSE SEVERE SKIN I

RRITATION &

BURNS.INHALATION CAN RESULT IN HEADACHES, COUGHING, SEVERE LUNG CONGESTION.INGESTION IS CORROSIVE TO THE DIGESTIVE TRACT.

Medical Cond Aggravated by Exposure:PRE-EXISTING EYE DISORDERS, SKIN DISORDERS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS MATERIAL.

First Aid:SEEK MEDICAL CARE.EYES:FLUSH WITH WATER FOR 15
MINUTES.SKIN:WASH WITH SOAP AND WATER.INHALATION:R
EMOVE TO FRESH

AIR.GIVE CPR IF NEEDED.INGESTION:DO NOT INDUCE VOMITING.IF CONSCIOUS,DRINK LARGE AMOUNT OF WATER FOLLOWED BY MILK.NEVER GIVE ANYTHING TO BY MOUTH TO AN UNCONSCIOUS PERSON.

Autoignition Temp: Autoignition Temp Text: 1204F

Lower Limits:16 Upper Limits:25

Extinguishing Media: USE WATER FOG OR SPRAY TO EXTINGUISH FIRE OR TO COOL DOWN NEARBY CONTAINERS EXPOSED TO FIRE.

Fire Fighting Procedures:WEAR FUL

L PROTECTIVE CLOTHING AND A NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS & FULL FACE PIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard:THE MIXTURE WILL NOT BURN BUT ESCAPING
AMMONIA GAS CAN BURN IN THE RANGE OF 16-25% IN AIR & CAN EXPLODE IN A CONFINED SPACE ON CONTACT WITH SOURCES OF IGNITION.
========= Accidental Release Measures ===========
Spill Release Procedures:WEAR PROTECTIVE CLOTHING & RESPIRATOR.CONTAIN SPILLS WITH DIKES,SAND BAGS,ETC. & PREVENT RUN-OFF INTO GROUND/SURFACE WATERS/SEWERS.RECOVER AS MUCH MATERIAL AS POSSIBLE.DILUTE THE RESIDUE WITH WATER & NEUTRALIZE WITH DILUTE ACETIC ACID & USEABSORBENT Neutralizing Agent:DILUTE ACETIC ACID, HCL OR H2SO4
============= Handling and Storage =============
Handling and Storage Precautions:STORAGE-STORE IN COOL,DRY & VENTILATED AREA IN A CLOSED CONTAINER AWAY FROM LIGHTS,FIRE,ACIDS,OXIDIZERS,SUN,HEAT & COMBUSTIBLES. Oth er Precautions:STORE IN AN UPRIGHT POSITION. RINSE EMPTY CONTAINER
THOROUGHLY WITH WATER AND DISCARD. DO NOT RE-USE CONTAINER FOR AN' OTHER PURPOSES. BEFORE MOVING CONTAINER, BE SURE CLOSURE IS SECURELY FASTENED. AV OID ROUGH HANDLING OR DROPPING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IF AIRBORNE CONCENTRATIONS EXCEED ESTABLISHED EXPOSURE LIMITS, USE A NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR THIS PRODUCT. Ventilati
on:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:NEOPRENE OR RUBBER
Eye Protection:CHEMICAL GOGGLES AND FACE SHIELD
Other Protective Equipment: USE NEOPRENE SPLASH APRON. SAFETY SHOWER AND EYEWASH FOUNTAIN SHOULD BE LOCATED NEARBY.
Work Hygienic Practices:AVOID BREATHING FUMES, MISTS, VAPORS OR GASES. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. FUMES ARE VERY IRRITATING.
Supplemental Safety and Health
========== Physical/Chemical Properties ===========
HCC:B1

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS,STRONG MINERAL ACIDS,NAOH,CHLORINE(& OTHER HALOGENS),IRON,CU,BRASS,BRONZE,AL,MERCURY,
GOLD

Stability Condition to Avoid:HIGH TEMPERATURES AND OPEN FLAMES
Hazardous Decomposition Products:DECOMPOSES TO AMMONIA GAS AND ABOVE
842F (450C) TO HYDROGEN AND NITROGEN GAS.

======= Disposal Considerations ============

Waste Disposal Methods:USE A DRY SORBENT TO COLLECT NEUTRALIZED AMMONIUM HYDROXIDE. CONSULT AUTHORITIES; DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.