

ABSOLUTE MAINTENANCE SUPPLIES INC -- FLOOR POLISH REMOVER -- 7930-00-045-6923

=====  
Product Identification  
=====

Product ID:FLOOR POLISH REMOVER

MSDS Date:01/11/1991

FSC:7930

NIIN:00-045-6923

MSDS Number: BLJDW

=== Responsible Party ===

Company Name:ABSOLUTE MAINTENANCE SUPPLIES INC

Address:395 E FERRY STREET

City:BUFFALO

State:NY

ZIP:14208

Country:US

Info Phone Num:716-885-5661

Emergency Phone Nu

m:716-885-5661

CAGE:0PUE4

=== Contractor Identification ===

Company Name:ABSOLUTE MAINTENANCE SUPPLIES INC

Address:703 SENECA ST

Box:463

City:BUFFALO

State:NY

ZIP:14209

Country:US

Phone:718-855-1377

CAGE:0PUE4

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM HYDROXIDE

CAS:1310-73-2

RTECS #:WB4905000

Fraction by Wt: 1%

Other REC Limits:NONE SPECIFIED

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM ME

TASILICATE (PENTAHYDRATE)  
CAS:6834-92-0  
RTECS #:VV9275000  
Fraction by Wt: 1%  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:NONE

Ingred Name:ETHANOLAMINE  
CAS:141-43-5  
RTECS #:KJ5775000  
Fraction by Wt: 1.5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:3 PPM/6 STEL  
ACGIH TLV:3 PPM/6 STEL; 9192

Ingred Name:SODIUM PHOSPHATE, TRIBASIC (SARA III)  
CAS:7758-29-4  
RTECS #:YK4570000  
Fraction by Wt: 1%  
Other REC Limits:NONE SPECIFIED  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:2-BUTOXYETHANOL  
CAS:111-76  
-2  
RTECS #:KJ8575000  
Fraction by Wt: 2.75%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:S, 50 PPM  
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:SODIUM PHOSPHATE, TRIBASIC (SARA III)  
CAS:7601-54-9  
RTECS #:TC9490000  
Fraction by Wt: 1%  
Other REC Limits:NONE SPECIFIED  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ALKYL ALCOHOL ETHOXYLATES  
CAS:68439-46-3  
Fraction by Wt: 2%  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:NONE

Ingred Name:ETHYLENE OXIDE (SARA III)  
CAS:75-21-8  
RTECS #:KX2450000  
Fraction by Wt

: 1%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:1 PPM; SEE 1910.1047  
ACGIH TLV:1 PPM, A2; 9192  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:YELLOW DYE  
Fraction by Wt: .00%  
Other REC Limits:NONE SPECIFIED

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:NONE

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazard  
s Acute and Chronic:IRRITATION TO SKIN, EYES AND  
INGESTION.  
Explanation of Carcinogenicity:ALKYNE OXIDE IS A SUSPECTED HUMAN  
CARCINOGEN.  
Effects of Overexposure:MILD IRRITATION TO SKIN AND EYES.  
Medical Cond Aggravated by Exposure:SKIN DERMATITIS

=====  
===== First Aid Measures =====

First Aid:WASH WITH COPIOUS AMOUNTS OF WATER.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:WILL NOT BURN OR IGN  
ITE.  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH COPIOUS AMOUNTS OF WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY AREAS IN CONTAINERS THAT  
ARE TIGHTLY CLOSED.  
Other Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED  
Vent

ilation:LOCAL EXHAUST: NORMAL. MECHANICAL: IF VAPOR CONCENTRATION IS HIGH.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:IF NECESSARY, WEAR PROTECTIVE CLOTHING.

Work Hygienic Practices:AREAS SHOULD BE CLEAN, DRY AND WELL-VENTILATED.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B3

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.039

pH:12.99

Solubility in Water:COMPLETE

Appearance and Odor:YELLOW AQU

EOUS SOLUTION WITH AROMATIC ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACIDS-PREVENT CONTACT WITH ZINC MAGNESIUM.

Stability Condition to Avoid:EXTREME HEAT OR FIRE AND GALVANIZED METALS.

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH FEDERAL AND LOCAL LAWS, NEUTRALIZE WITH ACID BEFORE DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.