View NSN Online: https://aerobasegroup.kr/nsn/6640-01-265-1316

## FISHER SCIENTIFIC CO -- PERMOUNT SOLUTION, SOP15, S70104 -- 6640-01-265-1316

======== Product Identification ============

Product ID:PERMOUNT SOLUTION, SOP15, S70104

MSDS Date:08/31/1991

FSC:6640

NIIN:01-265-1316

MSDS Number: BLJPS === Responsible Party ===

Company Name: FISHER SCIENTIFIC CO

Address:585 ALPHA DR

City:PITTSBURGH

State:PA

ZIP:15238-2911 Country:US

Info Phone Num:201-796-7100

Emergency Phone Nu

m:201-796-7100 CAGE:22527

=== Contractor Identification ===

Company Name: FISHER SCIENTIFIC CO

Address:2000 PARK LN Box:City:PITTSBURGH

State:PA ZIP:15275 Country:US

Phone:412-490-8586

CAGE:22527

======= Composition/Information on Ingredients ========

Ingred Name:2,6-DI-TERT-BUTYL-P-CRESOL

CAS:128-37-0

RTECS #:GO7875000 Fraction by Wt: 1.0%

Other REC Limits: NONE SPECIFIED

OSHA PEL:10 MG/M3

ACGIH TLV:10 MG/M3; 9192

Ingred Name: TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Frac

tion by Wt: 41.6%

Other REC Limits:NONE SPECIFIED OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:BICYCLO(3.1.1)HEPT-2-ENE, 2,6,6-TRIMETHYL-

CAS:80-56-8

RTECS #:DT7000000 Fraction by Wt: 57.4%

Other REC Limits: NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE

: INHALATION-IRRITANT, NARCOTIC,

NEUROTOXIN. INGESTION-POISON, CIRCULATORY COLLAPSE. SKIN-MAY CAUSE IRRITATION. EYES-IRRITATION AND CORNEAL BURNS. CHRONIC: PROLONGED OR REPEATED EXPOSURE MAY CAU SE MUCOUS MEMBRANE IRRITATION. MAY CAUSEKIDNET AND BLADDER DAMAGE, CHRONIC NEPHRITIS WITH ALBUMUNURIA.

Effects of Overexposure: COUGHING AND CHEST DISCOMFORT. FATIGUE, WEAKNESS, CONFUSION, HEADACHE, NAUSEA, IMPAIRED COORDINATION AND REACTION TIME, PARESTHESIAS OF THE SKIN, DIZZINE SS, TINNITUS,

IMPAIRED SPEECH, ANURIA, PULMONAR Y EDEMA AND BROCHIAL PNEUMONIA. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES-WASH IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE, OCCASIONALLY LIFTING UPPER AND LOWER LIDS. GET MEDICAL ATTENTION IMMEDIATELY. SKIN-REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATL EY. WASH AFFECTED AREA WITH SOAP OR MILDDETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS. INHALATION-REMOVE FROM AREA. ASSIST WITH BREATHING IF NEEDED.

============ Fire Fighting Measures =========================

Flash Point:45.0F,7.2C

Lower Limits: 1.4 Upper Limits: 6.7

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CO

HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.
======== Accidental Release Measures ==========
Spill Release Procedures:ABSORB WITH VERMICULITE OR OTHER SUITABLE MATERIAL. PLACE IN A SUITABLE CONTAINER FOR LATER DISPOSAL. Neutralizing Agent:NONE
=========== Handling and Storage ===========
Handling and Storage Precautions:STORE IN A COOL AREA. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:THE SPECIFIC RESPIRATOR SELECTED MUST BE BASED ON CONTAMINATION LEVELS FOUND IN THE WORK PLACE.  Ventilation:PROVIDE LOCAL EXHAUST OR PROCESS ENCLOSURE VENTILATION TO MEET PUBLISHED EXPOSURE LIMITS.  Protective Gloves:IMPERVIOUS GLOVE MAY BE USED.  Eye Protection:CHEMICAL SAFETY GLASSES OR GOGGLES.  Other Protective Equipment:EYEWASH STATION, PROTECTIVE CLOTHING.  Work Hygienic Pract ices:WASH HANDS THOROUGHLY AFTER HANDLING THIS PRODUCT.  Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:F2 Solubility in Water:INSOLUBLE Appearance and Odor:YELLOW LIQUID
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. MAY ALSO REACT WITH MANY OTHER CHEMICALS. Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNIT

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE

NTAINERS WITH WATER SPRAY.

ION
Hazardous Decomposition Products: TOXIC OXIDES OF CARBON.

======= Disposal Considerations ===========

Waste Disposal Methods:FOLLOW ALL FEDERAL, STATE, AND LOCAL REGULATIONS WHEN DISPOSING OF THIS MATERIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.