

DEVCON CORP -- ZIP PATCH ADHESIVE -- 8040-01-309-1064

=====
===== Product Identification =====

Product ID:ZIP PATCH ADHESIVE

MSDS Date:06/21/1990

FSC:8040

NIIN:01-309-1064

Kit Part:Y

MSDS Number: BLJQP

=== Responsible Party ===

Company Name:DEVCON CORP

Address:30 ENDICOTT ST

City:DANVERS

State:MA

ZIP:01923-3753

Country:US

Info Phone Num:(508) 777-1100

Emergency Phone Num:(800) 424-9300

CAGE:16059

=== C

Contractor Identification ===

Company Name:DEVCON CORP

Address:30 ENDICOTT ST

Box:City:DANVERS

State:MA

ZIP:01923-3753

Country:US

Phone:1-508-777-1100

CAGE:16059

=====
===== Composition/Information on Ingredients =====

Ingred Name:METHYL METHACRYLATE (SARA III)

CAS:80-62-6

RTECS #:OZ5075000

Fraction by Wt: 30-60%

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:METHACRYLIC ACID

CAS:79-41-4

RTECS #:OZ2975

000

Fraction by Wt: 10-20%

Other REC Limits:NONE SPECIFIED

OSHA PEL:S, 20 PPM

ACGIH TLV:20 PPM; 9192

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:SKIN AND EYE IRRITANT; POTENTIAL SKIN SENSITIZER. CORROSIVE TO SKIN AND EYES. TOXIC CHEMICAL.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR AT LEAST 15 MIN. HOLD EYELIDS OPEN.

GET IMMED. MED. ATTEN. SKIN: REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY W/SOAP & WARM WATER. CONSULT DR. IF IRRITATION DEVELOPES. INHALATION: REMOVE PATIENT TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. INGESTION: IF PATIENT IS CONSCIOUS, GIVE MILK OR H2O TO DILUTE. IMM. MED. ATTEN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:51 (MMA)

Extinguishing Media:WATER,

CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:FIREFIGHTERS WEAR SELF-CONTAINED BREATH

APPARATUS/PROTECTIVE GEAR. COOL EXPOSED CONTAINERS W/WATER SPRAY; LRG AMTS INVOLVED; FIGHT FIRES SAFE DISTANCE, OF PROTECTED AREA.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS CAN BURST VIOLENTLY WHEN HEATED. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL TO AN IGNITION SOURCE.

=====
===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health

TOXIC CHEMICAL SUBJECT

TO THE REPORTING REQUIREMENT OF SARA SECTION 313
(40 CFR SEC. 372).

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:214-MMA
Vapor Pres:29 MMA @68
Vapor Density:3.5 MMA
Spec Gravity:1.35
pH:ACIDIC
Evaporation Rate & Reference:APPROX. 3
Solubility in Water:APPROX. 5%
Appearance and Odor:THICK, OFF WHITE LIQUID WITH PUNGENT ACRYLIC ODOR.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.