

COLORADO PAINT CO -- BLACK CLASS I STENCIL PAINT -- 8010-00-297-2101

=====  
Product Identification  
=====

Product ID:BLACK CLASS I STENCIL PAINT

MSDS Date:01/29/1991

FSC:8010

NIIN:00-297-2101

MSDS Number: BLNCM

=== Responsible Party ===

Company Name:COLORADO PAINT CO

Address:4747 HOLLY ST

City:DENVER

State:CO

ZIP:80216-6409

Country:US

Info Phone Num:303-388-9265

Emergency Phone Num:303-388-9265

Pre

parer's Name:AMY J THOMPSON

CAGE:25449

=== Contractor Identification ===

Company Name:COLORADO PAINT CO

Address:4747 HOLLY STREET

Box:City:DENVER

State:CO

ZIP:80216-6409

Country:US

Phone:303-338-9265

CAGE:25449

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

Ingred Name:COBALT DRIER (AS METAL) (SARA 313) (VP: 4.9 MM HG @

68F)  
CAS:7440-78-4  
Fraction by Wt: < 0.5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM  
ACGIH TLV:525 MG/M3

Ingred Name:MANGANESE DRIER (MANGANESE ALKANOATE) (SARA 313) (VP: 2.6  
MM HG @ 68F)  
Fraction by Wt: < 0.5%  
Other REC Limits:NONE SPECIFIED  
ACGIH TLV:5 PPM (METAL)

Ingred Name:COATING VOC AND MATERIAL VOC: 3.12 LB/GL (374 G/L)  
RTECS #:9999999VO  
Other REC Limits:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:  
n:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALE: EXCESS VAPORS CAN CAUSE NASAL  
& RESPIRATORY IRRITATION, CENTRAL NERVOUS SYSTEM EFFECTS INCLUDING  
DIZZINESS, WEAKNESS, FATIGUE, NAUSEA AND HEADACHE. POSSIBLE  
UNCONSCIOUSNESS. EYE: CAN CAUSE SEVERE IRRITATION, REDNESS,  
TEARING AND BLURRED VISION. SKIN: PROLONGED OR REPEATED CONTACT CAN  
CAUSE MODERATE IRRITATION,  
Effects of Overexposure:DEFATTING & DERMATITIS. INGESTION:  
MAY CAUSE  
GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.  
ASPIRATION TO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS.  
Medical Cond Aggravated by Exposure:POSSIBLE ALLERGIC REACTION.

=====  
===== First Aid Measures =====

First Aid:SKIN: WASH EXPOSED AREA WITH SOAP AND WATER. APPLY SKIN  
CREAM. EYES: FLUSH WITH LARGE AMOUNTS OF FRESH WATER. GET MEDICAL  
ATTENTION. INGEST: DO NOT INDUCE VOMITING. KEEP PERSON QUIET AND  
WARM. GET MEDICAL ATTENTION

NTION. INHALE: REMOVE TO FRESH AIR AND APPLY  
ARTIFICIAL RESPIRATION IF NECESSARY.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC

Flash Point:50.0F,10.0C

Lower Limits:1.0

Upper Limits:6.0

Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS WITH FULL  
FACEPIECE IN THE POSITIVE PRESSURE DEMAND MODE WHEN FIGHTING FIRES.

Unusual Fire/Explosion Hazard:NEVER USE WELDING OR CUTTING TORC

H ON OR

NEAR DRUMS BECAUSE PRODUCT CAN IGNITE AND EXPLODE. KEEP AWAY FROM  
HEAT, SPARKS, OPEN FLAME AND FIRE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE BELOW 120F. STORE LARGE  
QUANTITIES IN BLDGS DESIGNED & PROTECTED FOR STORAGE OF NFPA CLASS  
I FLAMMABLE LIQUIDS. CONTAINERS MAY BE HAZARDOUS.

Other Precautions:KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME AND FIRE.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS WITH FULL  
FACEPIECE.

Ventilation:SUFFICIENT MECHANICAL VENTILATION TO MAINTAIN EXPOSURE  
BELOW TLVS.

Protective Gloves:NITRILE, RUBBER, NEOPRENE

Eye Protection:SAFETY GOGGLES OR OTHER SAFETY GLASSES

Other Protective Equipment:TO PREVENT REPEATED OR PROLONGED SKIN  
CONTACT, WEAR IMPERVIOUS CLOTHING AND BOOTS.

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

HCC:F2

Boiling Pt:B.P. Text:240 TO 285F

Vapor Density:> AIR

Spec Gravity:1.4

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:NONE

Appearance and Odor:OF PAINT CHARACTER-SMOOTH MATERIAL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME AND FIRE.

Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE

===== Disposal

Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE &  
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.