

EASTMAN KODAK COMPANY -- 140 8988, HC-110 DEVELOPER (WORKING SOLN) (--
6750-00-837-7257

=====
Product Identification
=====

Product ID:140 8988, HC-110 DEVELOPER (WORKING SOLN) (

MSDS Date:04/08/1991

FSC:6750

NIIN:00-837-7257

MSDS Number: BLNGB

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5

151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 90-95%

Other REC Limits:NONE

OSHA PEL:NONE

ACGIH TLV:NONE

Ingred Name:HYDROQUINONE (SARA III)

CAS:12

3-31-9
RTECS #:MX3500000
Fraction by Wt: < 1%
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3; 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:DIETHYLENE GLYCOL
CAS:111-46-6
RTECS #:ID5950000
Fraction by Wt: < 1%
Other REC Limits:NONE SPECIFIED

Ingred Name:ETHANOLAMINE
CAS:141-43-5
RTECS #:KJ5775000
Fraction by Wt: < 1%
OSHA PEL:3 PPM/6 STEL
ACGIH TLV:3 PPM/6 STEL; 9192

Ingred Name:DIETHANOLAMINE-SULFUR DIOXIDE COMPLEX
CAS:63149-47-3
Fraction by Wt: 1-5%
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION OR INGESTION: LOW HAZARD
FOR RECOMMENDED HANDLING. MAY CAUSE IRRITATION ON EYE CONTACT.
PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION. MAY
CAUSE ALLERGIC SKIN REACTION.
Effects of Overexposure:IRRITATION.
Medical Cond Aggravated by Exposure:NONE STATED.

=====
===== First Aid Measures =====

First Aid:INHALE: IF SYMPTOMATIC, REMOVE TO FRESH AIR. GET MEDICAL
ATTENTION IF SYMPTOMS PERSIST; EYES: FLUSH EYES WITH PLENTY OF
WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IF
IRRITATION OCCURS; SK IN: FLUSH SKIN WITH PLENTY OF WATER & WASH
WITH A NON-ALKALINE(ACID) TYPE OF CLEANER. GET MEDICAL ATTENTION IF
SKIN IRRITATION OR ALLERGIC SKIN REACTION OCCURS.

===== Fire Fighting Measures =

=====

Flash Point:NONE

Extinguishing Media:USE APPROPRIATE AGENT FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH MATERIAL TO ACID-FREE SEWER WITH LARGE AMOUNTS OF WATER. DISCHARGE, TREATMENT , OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE, OR LOCAL LAWS.

Neutralizing Agent

:NONE STATED.

===== Handling and Storage =====

Handling and Storage Precautions:NONE.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USUALLY NONE IN NORMAL CONDITIONS.

Ventilation:GOOD VENTILATION SHOULD BE SUFFICIENT. SUPPLEMENTARY VENTILATION MAY BE NEEDED IN SPECIAL CIRCUMSTANCES.

Protective Gloves:RECOMMENDED.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE STATED.

Wor

k Hygienic Practices:THE ROUTINE USE OF A NON-ALKALINE TYPE OF HAND CLEANER WILL HELP MINIMIZE THE POSSIBILITY OF ALLERGIC SKIN REACTION.

Supplemental Safety and Health

THIS PRODUCT HAS A KODAK SINGLE-PART SOLUTION NUMBER 4987.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>212F/100C

Vapor Pres:18

Vapor Density:0.6

Spec Gravity:1.02

pH:9.0

Evaporation Rate & Reference:0.4 (BUTYL ACETATE = 1)

Solubility in Water:COMPLETE

Appearance

and Odor: CLEAR SOLUTION, SLIGHT AMINE ODOR.

Percent Volatiles by Volume: 94

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT.

Stability Condition to Avoid: NONE STATED.

Hazardous Decomposition Products: NONE

===== Disposal Considerations =====

Waste Disposal Methods: FOLLOW ALL APPLICABLE FEDERAL, STATE, AND LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.